

Delta Marine Service, Inc.

POST OFFICE BOX 442

Mobile, AL 36601

(251) 438-1988

Pressure Test Certificate

Tank Barge: Gasolin 507 Official Number: 1219792

The following items have been tested as per requirements of 45 cfr 35-70 and 33 cfr 156.170.

A. Cargo Piping System:

Date Tested: 5-21-19 Pressure: 188 PSI By: JDC

B. Transfer System Relief Valve:

Date Tested: 5-21-19 Pressure: 125 PSI By: JDC

C. Pressure Gauge:

Date Tested: 5-21-19 Pressure: 188 PSI By: JDC

D. Remote Controlled Operating Equipment:

Date Tested: N/A Shut off: N/A By: N/A

Certify that all information on this document is true and correct.

Name: James D Camp Title: Supervisor

Name: James Dlyp Title: Supervisor



DELTA MARINE SERVICE, INC.

POST OFFICE BOX 442
MOBILE, ALABAMA 36601
(251) 438-1988

Barge Vapor - Tightening Document

Tank Barge: Gorsoulin 507 Official Number 1219792

Test cargo tanks and related vapor system to 3 lb
This barge has been tested in accordance to section 61.304F and 33CFR156.70
and is considered to be vapor-tight.

Testing Location: Delta Marine

Date of Test: 5-21-19

I certify that all information on this document is true and correct.

James D Camp
Name

Supervisor
Title

James D Camp
Name

Supervisor
Title



DELTA MARINE SERVICE, INC.

POST OFFICE BOX 442
MOBILE, ALABAMA 36601
PHONE: (251) 438-1988
FAX: (251) 438-1944

INT (Industrial Nitrogen Testing) Cargo Hose Certificate

Barge Servicing: Gonsoulin 508/507 Date: 5-21-19

Hose Test Date: 5-21-19

Serial or ID Number: CHTX 15646

Maximum Temp. Rating (if applicable): N/A

Maximum Operating Pressure: 150 PSI

Test Pressure: 225 PSI

Manufacture Date (if known): 1-6-17

Affiliation / Company of Witness: Delta Marine

Name of Tester James D. Camy
PRINT

Witnessing Inspector Ramon J. Cruz
PRINT

Signature James D. Camy

Signature Ramon J. Cruz

Note: Testing is a combination of compressed air and nitrogen to limit the amount of moisture exposure to hoses used for petroleum base cargos or other types of cargos that may have an adverse effect to water.