



# BARGE "GONSOU LIN-109"

LeBeouf Brothers Towing Company

CORRECTION TABLE FOR TRIM AFT.			
FOR OUTAGE GAUGES ONLY			
TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(+) 0'-0 7/8"	(+) 0'-1"	(-) 0'-0 7/8"
1'-0"	(+) 0'-1 5/8"	(+) 0'-2"	(-) 0'-1 5/8"
1'-6"	(+) 0'-2 1/2"	(+) 0'-3"	(-) 0'-2 1/2"
2'-0"	(+) 0'-3 1/4"	(+) 0'-4"	(-) 0'-3 1/4"
2'-6"	(+) 0'-4 1/8"	(+) 0'-5"	(-) 0'-4 1/8"
3'-0"	(+) 0'-4 7/8"	(+) 0'-6"	(-) 0'-4 7/8"
3'-6"	(+) 0'-5 3/4"	(+) 0'-7"	(-) 0'-5 3/4"
4'-0"	(+) 0'-6 5/8"	(+) 0'-8"	(-) 0'-6 5/8"
4'-6"	(+) 0'-7 3/8"	(+) 0'-9"	(-) 0'-7 3/8"
5'-0"	(+) 0'-8 1/4"	(+) 0'-10"	(-) 0'-8 1/4"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED, TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "INNAGE" GAUGES, REVERSE SIGNS.

DATE: 11/7/96

BY: *John* INSPECTORATE AMERICA CORPORATION



**INSPECTORATE**

ISO 9002 ACCREDITED

# BARGE "GONSOULIN-109"

LeBeouf Brothers Towing Company

## OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

TANK NUMBER:

# 1 PORT

HULL NO. 4248

SHEET NO. 1 OF 2

1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0		0	4,718.39	0	4,389.54	0	4,053.65	0	3,716.35	0	3,379.06	0	3,041.76	0	2,704.47	0	
1/4		1/4	4,713.17	1/4	4,382.57	1/4	4,046.62	1/4	3,709.33	1/4	3,372.03	1/4	3,034.74	1/4	2,697.44	1/4	
1/2		1/2	4,707.96	1/2	4,375.60	1/2	4,039.60	1/2	3,702.30	1/2	3,365.00	1/2	3,027.71	1/2	2,690.41	1/2	
3/4		3/4	4,701.57	3/4	4,368.62	3/4	4,032.57	3/4	3,695.27	3/4	3,357.98	3/4	3,020.68	3/4	2,683.39	3/4	
1		1	4,695.18	1	4,361.65	1	4,025.54	1	3,688.25	1	3,350.95	1	3,013.65	1	2,676.36	1	
1/4		1/4	4,688.80	1/4	4,354.68	1/4	4,018.52	1/4	3,681.22	1/4	3,343.92	1/4	3,006.63	1/4	2,669.33	1/4	
1/2		1/2	4,682.41	1/2	4,347.70	1/2	4,011.49	1/2	3,674.19	1/2	3,336.90	1/2	2,999.60	1/2	2,662.30	1/2	
3/4		3/4	4,675.44	3/4	4,340.73	3/4	4,004.46	3/4	3,667.17	3/4	3,329.87	3/4	2,992.57	3/4	2,655.28	3/4	
2		2	4,668.46	2	4,333.76	2	3,997.43	2	3,660.14	2	3,322.84	2	2,985.55	2	2,648.25	2	
1/4		1/4	4,661.49	1/4	4,326.79	1/4	3,990.41	1/4	3,653.11	1/4	3,315.82	1/4	2,978.52	1/4	2,641.22	1/4	
1/2		1/2	4,654.52	1/2	4,319.81	1/2	3,983.38	1/2	3,646.08	1/2	3,308.79	1/2	2,971.49	1/2	2,634.20	1/2	
3/4		3/4	4,647.54	3/4	4,312.84	3/4	3,976.35	3/4	3,639.06	3/4	3,301.76	3/4	2,964.47	3/4	2,627.17	3/4	
3		3	4,640.57	3	4,305.87	3	3,969.33	3	3,632.03	3	3,294.73	3	2,957.44	3	2,620.14	3	
1/4		1/4	4,633.60	1/4	4,298.89	1/4	3,962.30	1/4	3,625.00	1/4	3,287.71	1/4	2,950.41	1/4	2,613.12	1/4	
1/2		1/2	4,626.62	1/2	4,291.92	1/2	3,955.27	1/2	3,617.98	1/2	3,280.68	1/2	2,943.38	1/2	2,606.09	1/2	
3/4		3/4	4,619.65	3/4	4,284.95	3/4	3,948.25	3/4	3,610.95	3/4	3,273.65	3/4	2,936.36	3/4	2,599.06	3/4	
4		4	4,612.68	4	4,277.97	4	3,941.22	4	3,603.92	4	3,266.63	4	2,929.33	4	2,592.03	4	
1/4		1/4	4,605.71	1/4	4,271.00	1/4	3,934.19	1/4	3,596.90	1/4	3,259.60	1/4	2,922.30	1/4	2,585.01	1/4	
1/2		1/2	4,598.73	1/2	4,264.03	1/2	3,927.16	1/2	3,589.87	1/2	3,252.57	1/2	2,915.28	1/2	2,577.98	1/2	
3/4		3/4	4,591.76	3/4	4,257.06	3/4	3,920.14	3/4	3,582.84	3/4	3,245.55	3/4	2,908.25	3/4	2,570.95	3/4	
5		5	4,584.79	5	4,250.08	5	3,913.11	5	3,575.81	5	3,238.52	5	2,901.22	5	2,563.93	5	
1/4		1/4	4,577.81	1/4	4,243.11	1/4	3,906.08	1/4	3,568.79	1/4	3,231.49	1/4	2,894.20	1/4	2,556.90	1/4	
1/2		1/2	4,570.84	1/2	4,236.14	1/2	3,899.06	1/2	3,561.76	1/2	3,224.46	1/2	2,887.17	1/2	2,549.87	1/2	
3/4		3/4	4,563.87	3/4	4,229.16	3/4	3,892.03	3/4	3,554.73	3/4	3,217.44	3/4	2,880.14	3/4	2,542.85	3/4	
6		6	4,556.89	6	4,222.19	6	3,885.00	6	3,547.71	6	3,210.41	6	2,873.11	6	2,535.82	6	
1/4		1/4	4,549.92	1/4	4,215.22	1/4	3,877.98	1/4	3,540.68	1/4	3,203.38	1/4	2,866.09	1/4	2,528.79	1/4	
1/2		1/2	4,542.95	1/2	4,208.24	1/2	3,870.95	1/2	3,533.65	1/2	3,196.36	1/2	2,859.06	1/2	2,521.76	1/2	
3/4		3/4	4,535.98	3/4	4,201.22	3/4	3,863.92	3/4	3,526.63	3/4	3,189.33	3/4	2,852.03	3/4	2,514.74	3/4	
7		7	4,529.00	7	4,194.19	7	3,856.89	7	3,519.60	7	3,182.30	7	2,845.01	7	2,507.71	7	
1/4		1/4	4,522.03	1/4	4,187.16	1/4	3,849.87	1/4	3,512.57	1/4	3,175.28	1/4	2,837.98	1/4	2,500.68	1/4	
1/2		1/2	4,765.41	1/2	4,515.06	1/2	4,180.14	1/2	3,842.84	1/2	3,505.54	1/2	3,168.25	1/2	2,830.95	1/2	
3/4		3/4	4,764.88	3/4	4,508.08	3/4	4,173.11	3/4	3,835.81	3/4	3,498.52	3/4	3,161.22	3/4	2,823.93	3/4	
8		8	4,764.35	8	4,501.11	8	4,166.08	8	3,828.79	8	3,491.49	8	3,154.19	8	2,816.90	8	
1/4		1/4	4,763.82	1/4	4,494.14	1/4	4,159.06	1/4	3,821.76	1/4	3,484.46	1/4	3,147.17	1/4	2,809.87	1/4	
1/2		1/2	4,763.29	1/2	4,487.16	1/2	4,152.03	1/2	3,814.73	1/2	3,477.44	1/2	3,140.14	1/2	2,802.84	1/2	
3/4		3/4	4,761.59	3/4	4,480.19	3/4	4,145.00	3/4	3,807.71	3/4	3,470.41	3/4	3,133.11	3/4	2,795.82	3/4	
9		9	4,759.89	9	4,473.22	9	4,137.97	9	3,800.68	9	3,463.38	9	3,126.09	9	2,788.79	9	
1/4		1/4	4,758.19	1/4	4,466.25	1/4	4,130.95	1/4	3,793.65	1/4	3,456.36	1/4	3,119.06	1/4	2,781.76	1/4	
1/2		1/2	4,756.49	1/2	4,459.27	1/2	4,123.92	1/2	3,786.62	1/2	3,449.33	1/2	3,112.03	1/2	2,774.74	1/2	
3/4		3/4	4,753.62	3/4	4,452.30	3/4	4,116.89	3/4	3,779.60	3/4	3,442.30	3/4	3,105.01	3/4	2,767.71	3/4	
10		10	4,750.74	10	4,445.33	10	4,109.87	10	3,772.57	10	3,435.27	10	3,097.98	10	2,760.68	10	
1/4		1/4	4,747.87	1/4	4,438.35	1/4	4,102.84	1/4	3,765.54	1/4	3,428.25	1/4	3,090.95	1/4	2,753.66	1/4	
1/2		1/2	4,745.00	1/2	4,431.38	1/2	4,095.81	1/2	3,758.52	1/2	3,421.22	1/2	3,083.92	1/2	2,746.63	1/2	
3/4		3/4	4,740.95	3/4	4,424.41	3/4	4,088.79	3/4	3,751.49	3/4	3,414.19	3/4	3,076.90	3/4	2,739.60	3/4	
11		11	4,736.91	11	4,417.43	11	4,081.76	11	3,744.46	11	3,407.17	11	3,069.87	11	2,732.57	11	
1/4		1/4	4,732.86	1/4	4,410.46	1/4	4,074.73	1/4	3,737.44	1/4	3,400.14	1/4	3,062.84	1/4	2,725.55	1/4	
1/2		1/2	4,728.82	1/2	4,403.49	1/2	4,067.70	1/2	3,730.41	1/2	3,393.11	1/2	3,055.82	1/2	2,718.52	1/2	
3/4		3/4	4,723.60	3/4	4,396.52	3/4	4,060.68	3/4	3,723.38	3/4	3,386.09	3/4	3,048.79	3/4	2,711.49	3/4	

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 16'-8 3/4" (RIM OF 8" DIAMETER HATCH ON EXPANSION TRUNK)

STRAPPED: 11/7/96

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



# BARGE "GONSOULIN-109"

LeBeouf Brothers Towing Company  
**OUTAGE TABLE**

TANK NUMBER:

## 1 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4248 SHEET NO. 2 OF 2

9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		15 FEET		16 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	2,367.17	0	2,029.87	0	1,692.58	0	1,355.83	0	1,019.12	0	682.90	0	357.97	0	36.95	0	
1/4	2,360.14	1/4	2,022.85	1/4	1,685.55	1/4	1,348.81	1/4	1,012.11	1/4	676.04	1/4	351.11	1/4	31.65	1/4	
1/2	2,353.12	1/2	2,015.82	1/2	1,678.52	1/2	1,341.79	1/2	1,005.09	1/2	669.17	1/2	344.24	1/2	26.34	1/2	
3/4	2,346.09	3/4	2,008.79	3/4	1,671.50	3/4	1,334.77	3/4	998.08	3/4	662.30	3/4	337.38	3/4	22.60	3/4	
1	2,339.06	1	2,001.77	1	1,664.47	1	1,327.75	1	991.07	1	655.44	1	330.51	1	18.86	1	
1/4	2,332.04	1/4	1,994.74	1/4	1,657.44	1/4	1,320.73	1/4	984.05	1/4	648.57	1/4	323.64	1/4	15.12	1/4	
1/2	2,325.01	1/2	1,987.71	1/2	1,650.42	1/2	1,313.71	1/2	977.04	1/2	641.71	1/2	316.78	1/2	11.38	1/2	
3/4	2,317.98	3/4	1,980.69	3/4	1,643.39	3/4	1,306.69	3/4	970.03	3/4	634.84	3/4	309.91	3/4	9.19	3/4	
2	2,310.95	2	1,973.66	2	1,636.36	2	1,299.67	2	963.01	2	627.97	2	303.05	2	7.01	2	
1/4	2,303.93	1/4	1,966.63	1/4	1,629.34	1/4	1,292.66	1/4	956.00	1/4	621.11	1/4	296.18	1/4	4.83	1/4	
1/2	2,296.90	1/2	1,959.60	1/2	1,622.31	1/2	1,285.64	1/2	948.99	1/2	614.24	1/2	289.31	1/2	2.65	1/2	
3/4	2,289.87	3/4	1,952.58	3/4	1,615.28	3/4	1,278.62	3/4	941.98	3/4	607.38	3/4	282.45	3/4	2.03	3/4	
3	2,282.85	3	1,945.55	3	1,608.25	3	1,271.60	3	934.96	3	600.51	3	275.58	3	1.41	3	
1/4	2,275.82	1/4	1,938.52	1/4	1,601.23	1/4	1,264.58	1/4	927.95	1/4	593.64	1/4	268.72	1/4	0.79	1/4	
1/2	2,268.79	1/2	1,931.50	1/2	1,594.20	1/2	1,257.56	1/2	920.94	1/2	586.78	1/2	261.85	1/2	0.17	1/2	
3/4	2,261.77	3/4	1,924.47	3/4	1,587.17	3/4	1,250.55	3/4	913.92	3/4	579.91	3/4	254.98	3/4	0.16	3/4	
4	2,254.74	4	1,917.44	4	1,580.15	4	1,243.53	4	906.90	4	573.05	4	248.12	4	0.15	4	
1/4	2,247.71	1/4	1,910.42	1/4	1,573.12	1/4	1,236.52	1/4	899.88	1/4	566.18	1/4	241.25	1/4	0.14	1/4	
1/2	2,240.68	1/2	1,903.39	1/2	1,566.09	1/2	1,229.51	1/2	892.86	1/2	559.31	1/2	234.39	1/2	0.14	1/2	
3/4	2,233.66	3/4	1,896.36	3/4	1,559.07	3/4	1,222.50	3/4	885.84	3/4	552.45	3/4	227.52	3/4	0.13	3/4	
5	2,226.63	5	1,889.33	5	1,552.04	5	1,215.48	5	878.82	5	545.58	5	220.65	5	0.12	5	
1/4	2,219.60	1/4	1,882.31	1/4	1,545.01	1/4	1,208.47	1/4	871.80	1/4	538.72	1/4	213.79	1/4	0.11	1/4	
1/2	2,212.58	1/2	1,875.28	1/2	1,537.98	1/2	1,201.46	1/2	864.78	1/2	531.85	1/2	206.92	1/2	0.10	1/2	
3/4	2,205.55	3/4	1,868.25	3/4	1,530.96	3/4	1,194.44	3/4	857.77	3/4	524.98	3/4	200.06	3/4	0.10	3/4	
6	2,198.52	6	1,861.23	6	1,523.93	6	1,187.43	6	850.75	6	518.12	6	193.19	6	0.09	6	
1/4	2,191.50	1/4	1,854.20	1/4	1,516.90	1/4	1,180.42	1/4	843.73	1/4	511.25	1/4	186.32	1/4	0.08	1/4	
1/2	2,184.47	1/2	1,847.17	1/2	1,509.88	1/2	1,173.40	1/2	836.71	1/2	504.39	1/2	179.46	1/2	0.07	1/2	
3/4	2,177.44	3/4	1,840.15	3/4	1,502.88	3/4	1,166.39	3/4	829.69	3/4	497.81	3/4	172.59	3/4	0.06	3/4	
7	2,170.41	7	1,833.12	7	1,495.88	7	1,159.38	7	822.67	7	491.23	7	165.73	7	0.06	7	
1/4	2,163.39	1/4	1,826.09	1/4	1,488.89	1/4	1,152.37	1/4	815.65	1/4	484.66	1/4	158.86	1/4	0.05	1/4	
1/2	2,156.36	1/2	1,819.06	1/2	1,481.89	1/2	1,145.35	1/2	808.63	1/2	478.08	1/2	151.99	1/2	0.04	1/2	
3/4	2,149.33	3/4	1,812.04	3/4	1,474.90	3/4	1,138.34	3/4	801.61	3/4	471.51	3/4	145.42	3/4	0.03	3/4	
8	2,142.31	8	1,805.01	8	1,467.90	8	1,131.33	8	794.59	8	464.93	8	138.84	8	0.02	8	
1/4	2,135.28	1/4	1,797.98	1/4	1,460.90	1/4	1,124.31	1/4	787.58	1/4	458.35	1/4	132.27	1/4	0.02	1/4	
1/2	2,128.25	1/2	1,790.96	1/2	1,453.91	1/2	1,117.30	1/2	780.56	1/2	451.78	1/2	125.69	1/2	0.01	1/2	
3/4	2,121.23	3/4	1,783.93	3/4	1,446.91	3/4	1,110.29	3/4	773.54	3/4	445.20	3/4	119.11	3/4	0.00	3/4	
9	2,114.20	9	1,776.90	9	1,439.92	9	1,103.27	9	766.52	9	438.63	9	112.54	9		9	
1/4	2,107.17	1/4	1,769.88	1/4	1,432.92	1/4	1,096.26	1/4	759.50	1/4	432.05	1/4	105.96	1/4		1/4	
1/2	2,100.14	1/2	1,762.85	1/2	1,425.92	1/2	1,089.25	1/2	752.48	1/2	425.47	1/2	99.39	1/2		1/2	
3/4	2,093.12	3/4	1,755.82	3/4	1,418.93	3/4	1,082.24	3/4	745.46	3/4	418.90	3/4	92.81	3/4		3/4	
10	2,086.09	10	1,748.79	10	1,411.93	10	1,075.22	10	738.44	10	412.32	10	86.23	10		10	
1/4	2,079.06	1/4	1,741.77	1/4	1,404.94	1/4	1,068.21	1/4	731.42	1/4	405.75	1/4	79.66	1/4		1/4	
1/2	2,072.04	1/2	1,734.74	1/2	1,397.94	1/2	1,061.20	1/2	724.40	1/2	399.17	1/2	73.08	1/2		1/2	
3/4	2,065.01	3/4	1,727.71	3/4	1,390.92	3/4	1,054.18	3/4	717.39	3/4	392.30	3/4	66.51	3/4		3/4	
11	2,057.98	11	1,720.69	11	1,383.90	11	1,047.17	11	710.37	11	385.44	11	59.93	11		11	
1/4	2,050.96	1/4	1,713.66	1/4	1,376.88	1/4	1,040.16	1/4	703.50	1/4	378.57	1/4	53.75	1/4		1/4	
1/2	2,043.93	1/2	1,706.63	1/2	1,369.86	1/2	1,033.14	1/2	696.63	1/2	371.71	1/2	47.56	1/2		1/2	
3/4	2,036.90	3/4	1,699.61	3/4	1,362.85	3/4	1,026.13	3/4	689.77	3/4	364.84	3/4	42.26	3/4		3/4	

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 16'-8 3/4" (RIM OF 8" DIAMETER HATCH ON EXPANSION TRUNK)

STRAPPED 11/7/96

INSPECTORATE AMERICA CORPORATION



# BARGE "GONSOULIN-109"

LeBeouf Brothers Towing Company  
**OUTAGE TABLE**

TANK NUMBER:

## 1 STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4248 SHEET NO. 1 OF 2

1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0		0	4,713.34	0	4,380.60	0	4,044.22	0	3,706.54	0	3,368.86	0	3,031.18	0	2,693.50	0	
1/4		1/4	4,706.95	1/4	4,373.62	1/4	4,037.18	1/4	3,699.50	1/4	3,361.82	1/4	3,024.14	1/4	2,686.46	1/4	
1/2		1/2	4,700.55	1/2	4,366.64	1/2	4,030.15	1/2	3,692.47	1/2	3,354.79	1/2	3,017.11	1/2	2,679.43	1/2	
3/4		3/4	4,694.16	3/4	4,359.66	3/4	4,023.11	3/4	3,685.43	3/4	3,347.75	3/4	3,010.07	3/4	2,672.39	3/4	
1		1	4,687.76	1	4,352.68	1	4,016.08	1	3,678.40	1	3,340.72	1	3,003.04	1	2,665.36	1	
1/4		1/4	4,680.78	1/4	4,345.70	1/4	4,009.04	1/4	3,671.36	1/4	3,333.68	1/4	2,996.00	1/4	2,658.32	1/4	
1/2		1/2	4,673.80	1/2	4,338.71	1/2	4,002.01	1/2	3,664.33	1/2	3,326.65	1/2	2,988.97	1/2	2,651.29	1/2	
3/4		3/4	4,666.82	3/4	4,331.73	3/4	3,994.97	3/4	3,657.29	3/4	3,319.61	3/4	2,981.93	3/4	2,644.25	3/4	
2		2	4,659.84	2	4,324.75	2	3,987.94	2	3,650.26	2	3,312.58	2	2,974.90	2	2,637.22	2	
1/4		1/4	4,652.86	1/4	4,317.77	1/4	3,980.90	1/4	3,643.22	1/4	3,305.54	1/4	2,967.86	1/4	2,630.18	1/4	
1/2		1/2	4,645.88	1/2	4,310.79	1/2	3,973.87	1/2	3,636.19	1/2	3,298.51	1/2	2,960.83	1/2	2,623.15	1/2	
3/4		3/4	4,638.90	3/4	4,303.81	3/4	3,966.83	3/4	3,629.15	3/4	3,291.47	3/4	2,953.79	3/4	2,616.11	3/4	
3		3	4,631.92	3	4,296.83	3	3,959.80	3	3,622.12	3	3,284.44	3	2,946.76	3	2,609.08	3	
1/4		1/4	4,624.94	1/4	4,289.85	1/4	3,952.76	1/4	3,615.08	1/4	3,277.40	1/4	2,939.72	1/4	2,602.04	1/4	
1/2		1/2	4,617.95	1/2	4,282.87	1/2	3,945.73	1/2	3,608.05	1/2	3,270.37	1/2	2,932.69	1/2	2,595.01	1/2	
3/4		3/4	4,610.97	3/4	4,275.89	3/4	3,938.69	3/4	3,601.01	3/4	3,263.33	3/4	2,925.65	3/4	2,587.97	3/4	
4		4	4,603.99	4	4,268.90	4	3,931.66	4	3,593.98	4	3,256.30	4	2,918.62	4	2,580.94	4	
1/4		1/4	4,597.01	1/4	4,261.92	1/4	3,924.62	1/4	3,586.94	1/4	3,249.26	1/4	2,911.58	1/4	2,573.90	1/4	
1/2		1/2	4,590.03	1/2	4,254.94	1/2	3,917.59	1/2	3,579.91	1/2	3,242.23	1/2	2,904.55	1/2	2,566.87	1/2	
3/4		3/4	4,583.05	3/4	4,247.96	3/4	3,910.55	3/4	3,572.87	3/4	3,235.19	3/4	2,897.51	3/4	2,559.83	3/4	
5		5	4,576.07	5	4,240.98	5	3,903.52	5	3,565.84	5	3,228.16	5	2,890.48	5	2,552.80	5	
1/4		1/4	4,569.09	1/4	4,234.00	1/4	3,896.48	1/4	3,558.80	1/4	3,221.12	1/4	2,883.44	1/4	2,545.76	1/4	
1/2		1/2	4,562.11	1/2	4,227.02	1/2	3,889.45	1/2	3,551.77	1/2	3,214.09	1/2	2,876.41	1/2	2,538.73	1/2	
3/4		3/4	4,555.13	3/4	4,220.04	3/4	3,882.41	3/4	3,544.73	3/4	3,207.05	3/4	2,869.37	3/4	2,531.69	3/4	
6		6	4,548.14	6	4,213.06	6	3,875.38	6	3,537.70	6	3,200.02	6	2,862.34	6	2,524.66	6	
1/4		1/4	4,541.16	1/4	4,206.02	1/4	3,868.34	1/4	3,530.66	1/4	3,192.98	1/4	2,855.30	1/4	2,517.62	1/4	
1/2		1/2	4,534.18	1/2	4,198.99	1/2	3,861.31	1/2	3,523.63	1/2	3,185.95	1/2	2,848.27	1/2	2,510.59	1/2	
3/4		3/4	4,527.20	3/4	4,191.95	3/4	3,854.27	3/4	3,516.59	3/4	3,178.91	3/4	2,841.23	3/4	2,503.55	3/4	
7	4,770.86	7	4,520.22	7	4,184.92	7	3,847.24	7	3,509.56	7	3,171.88	7	2,834.20	7	2,496.52	7	
1/4	4,770.33	1/4	4,513.24	1/4	4,177.88	1/4	3,840.20	1/4	3,502.52	1/4	3,164.84	1/4	2,827.16	1/4	2,489.48	1/4	
1/2	4,769.80	1/2	4,506.26	1/2	4,170.85	1/2	3,833.17	1/2	3,495.49	1/2	3,157.81	1/2	2,820.13	1/2	2,482.45	1/2	
3/4	4,769.27	3/4	4,499.28	3/4	4,163.81	3/4	3,826.13	3/4	3,488.45	3/4	3,150.77	3/4	2,813.09	3/4	2,475.41	3/4	
8	4,768.74	8	4,492.30	8	4,156.78	8	3,819.10	8	3,481.42	8	3,143.74	8	2,806.06	8	2,468.38	8	
1/4	4,767.03	1/4	4,485.32	1/4	4,149.74	1/4	3,812.06	1/4	3,474.38	1/4	3,136.70	1/4	2,799.02	1/4	2,461.34	1/4	
1/2	4,765.33	1/2	4,478.33	1/2	4,142.71	1/2	3,805.03	1/2	3,467.35	1/2	3,129.67	1/2	2,791.99	1/2	2,454.31	1/2	
3/4	4,763.63	3/4	4,471.35	3/4	4,135.67	3/4	3,797.99	3/4	3,460.31	3/4	3,122.63	3/4	2,784.95	3/4	2,447.27	3/4	
9	4,761.92	9	4,464.37	9	4,128.64	9	3,790.96	9	3,453.28	9	3,115.60	9	2,777.92	9	2,440.24	9	
1/4	4,759.05	1/4	4,457.39	1/4	4,121.60	1/4	3,783.92	1/4	3,446.24	1/4	3,108.56	1/4	2,770.88	1/4	2,433.20	1/4	
1/2	4,756.17	1/2	4,450.41	1/2	4,114.57	1/2	3,776.89	1/2	3,439.21	1/2	3,101.53	1/2	2,763.85	1/2	2,426.17	1/2	
3/4	4,753.30	3/4	4,443.43	3/4	4,107.53	3/4	3,769.85	3/4	3,432.17	3/4	3,094.49	3/4	2,756.81	3/4	2,419.13	3/4	
10	4,750.42	10	4,436.45	10	4,100.50	10	3,762.82	10	3,425.14	10	3,087.46	10	2,749.78	10	2,412.10	10	
1/4	4,746.37	1/4	4,429.47	1/4	4,093.46	1/4	3,755.78	1/4	3,418.10	1/4	3,080.42	1/4	2,742.74	1/4	2,405.06	1/4	
1/2	4,742.32	1/2	4,422.49	1/2	4,086.43	1/2	3,748.75	1/2	3,411.07	1/2	3,073.39	1/2	2,735.71	1/2	2,398.03	1/2	
3/4	4,738.28	3/4	4,415.51	3/4	4,079.39	3/4	3,741.71	3/4	3,404.03	3/4	3,066.35	3/4	2,728.67	3/4	2,390.99	3/4	
11	4,734.23	11	4,408.52	11	4,072.36	11	3,734.68	11	3,397.00	11	3,059.32	11	2,721.64	11	2,383.96	11	
1/4	4,729.01	1/4	4,401.54	1/4	4,065.32	1/4	3,727.64	1/4	3,389.96	1/4	3,052.28	1/4	2,714.60	1/4	2,376.92	1/4	
1/2	4,723.78	1/2	4,394.56	1/2	4,058.29	1/2	3,720.61	1/2	3,382.93	1/2	3,045.25	1/2	2,707.57	1/2	2,369.89	1/2	
3/4	4,718.56	3/4	4,387.58	3/4	4,051.25	3/4	3,713.57	3/4	3,375.89	3/4	3,038.21	3/4	2,700.53	3/4	2,362.85	3/4	

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 16'-9" (RIM OF 8" DIAMETER HATCH ON EXPANSION TRUNK)

STRAPPED: 11/7/96

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



# BARGE "GONSOULIN-109"

LeBeouf Brothers Towing Company

## OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

TANK NUMBER:

# 1 STAR.

HULL NO. 4248

SHEET NO. 2 OF 2

9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		15 FEET		16 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	2,355.82	0	2,018.14	0	1,680.46	0	1,343.34	0	1,006.26	0	669.95	0	344.65	0	26.40	0	
1/4	2,348.78	1/4	2,011.10	1/4	1,673.42	1/4	1,336.31	1/4	999.24	1/4	663.08	1/4	337.78	1/4	22.65	1/4	
1/2	2,341.75	1/2	2,004.07	1/2	1,666.39	1/2	1,329.28	1/2	992.21	1/2	656.20	1/2	330.91	1/2	18.90	1/2	
3/4	2,334.71	3/4	1,997.03	3/4	1,659.35	3/4	1,322.26	3/4	985.19	3/4	649.33	3/4	324.03	3/4	15.16	3/4	
1	2,327.68	1	1,990.00	1	1,652.32	1	1,315.23	1	978.17	1	642.45	1	317.16	1	11.41	1	
1/4	2,320.64	1/4	1,982.96	1/4	1,645.28	1/4	1,308.20	1/4	971.15	1/4	635.58	1/4	310.28	1/4	9.23	1/4	
1/2	2,313.61	1/2	1,975.93	1/2	1,638.25	1/2	1,301.17	1/2	964.13	1/2	628.71	1/2	303.41	1/2	7.04	1/2	
3/4	2,306.57	3/4	1,968.89	3/4	1,631.21	3/4	1,294.15	3/4	957.11	3/4	621.83	3/4	296.54	3/4	4.86	3/4	
2	2,299.54	2	1,961.86	2	1,624.18	2	1,287.12	2	950.09	2	614.96	2	289.66	2	2.68	2	
1/4	2,292.50	1/4	1,954.82	1/4	1,617.14	1/4	1,280.09	1/4	943.07	1/4	608.08	1/4	282.79	1/4	2.06	1/4	
1/2	2,285.47	1/2	1,947.79	1/2	1,610.11	1/2	1,273.07	1/2	936.05	1/2	601.21	1/2	275.91	1/2	1.43	1/2	
3/4	2,278.43	3/4	1,940.75	3/4	1,603.07	3/4	1,266.04	3/4	929.03	3/4	594.34	3/4	269.04	3/4	0.81	3/4	
3	2,271.40	3	1,933.72	3	1,596.04	3	1,259.01	3	922.00	3	587.46	3	262.17	3	0.19	3	
1/4	2,264.36	1/4	1,926.68	1/4	1,589.00	1/4	1,251.99	1/4	914.98	1/4	580.59	1/4	255.29	1/4	0.18	1/4	
1/2	2,257.33	1/2	1,919.65	1/2	1,581.97	1/2	1,244.97	1/2	907.95	1/2	573.71	1/2	248.42	1/2	0.18	1/2	
3/4	2,250.29	3/4	1,912.61	3/4	1,574.93	3/4	1,237.95	3/4	900.92	3/4	566.84	3/4	241.54	3/4	0.17	3/4	
4	2,243.26	4	1,905.58	4	1,567.90	4	1,230.93	4	893.90	4	559.97	4	234.67	4	0.16	4	
1/4	2,236.22	1/4	1,898.54	1/4	1,560.86	1/4	1,223.91	1/4	886.87	1/4	553.09	1/4	227.80	1/4	0.15	1/4	
1/2	2,229.19	1/2	1,891.51	1/2	1,553.83	1/2	1,216.89	1/2	879.84	1/2	546.22	1/2	220.92	1/2	0.14	1/2	
3/4	2,222.15	3/4	1,884.47	3/4	1,546.79	3/4	1,209.87	3/4	872.82	3/4	539.34	3/4	214.05	3/4	0.14	3/4	
5	2,215.12	5	1,877.44	5	1,539.76	5	1,202.84	5	865.79	5	532.47	5	207.17	5	0.13	5	
1/4	2,208.08	1/4	1,870.40	1/4	1,532.72	1/4	1,195.82	1/4	858.76	1/4	525.60	1/4	200.30	1/4	0.12	1/4	
1/2	2,201.05	1/2	1,863.37	1/2	1,525.69	1/2	1,188.80	1/2	851.73	1/2	518.72	1/2	193.43	1/2	0.11	1/2	
3/4	2,194.01	3/4	1,856.33	3/4	1,518.65	3/4	1,181.78	3/4	844.71	3/4	511.85	3/4	186.55	3/4	0.10	3/4	
6	2,186.98	6	1,849.30	6	1,511.62	6	1,174.76	6	837.68	6	504.97	6	179.68	6	0.10	6	
1/4	2,179.94	1/4	1,842.26	1/4	1,504.61	1/4	1,167.74	1/4	830.65	1/4	498.39	1/4	172.80	1/4	0.09	1/4	
1/2	2,172.91	1/2	1,835.23	1/2	1,497.61	1/2	1,160.72	1/2	823.63	1/2	491.81	1/2	165.93	1/2	0.08	1/2	
3/4	2,165.87	3/4	1,828.19	3/4	1,490.60	3/4	1,153.70	3/4	816.60	3/4	485.23	3/4	159.06	3/4	0.07	3/4	
7	2,158.84	7	1,821.16	7	1,483.60	7	1,146.68	7	809.57	7	478.64	7	152.18	7	0.06	7	
1/4	2,151.80	1/4	1,814.12	1/4	1,476.60	1/4	1,139.66	1/4	802.55	1/4	472.06	1/4	145.60	1/4	0.06	1/4	
1/2	2,144.77	1/2	1,807.09	1/2	1,469.59	1/2	1,132.63	1/2	795.52	1/2	465.48	1/2	139.02	1/2	0.05	1/2	
3/4	2,137.73	3/4	1,800.05	3/4	1,462.59	3/4	1,125.61	3/4	788.49	3/4	458.89	3/4	132.43	3/4	0.04	3/4	
8	2,130.70	8	1,793.02	8	1,455.58	8	1,118.59	8	781.46	8	452.31	8	125.85	8	0.03	8	
1/4	2,123.66	1/4	1,785.98	1/4	1,448.58	1/4	1,111.57	1/4	774.44	1/4	445.73	1/4	119.27	1/4	0.02	1/4	
1/2	2,116.63	1/2	1,778.95	1/2	1,441.58	1/2	1,104.55	1/2	767.41	1/2	439.14	1/2	112.68	1/2	0.02	1/2	
3/4	2,109.59	3/4	1,771.91	3/4	1,434.57	3/4	1,097.53	3/4	760.38	3/4	432.56	3/4	106.10	3/4	0.01	3/4	
9	2,102.56	9	1,764.88	9	1,427.57	9	1,090.51	9	753.36	9	425.98	9	99.52	9	0.00	9	
1/4	2,095.52	1/4	1,757.84	1/4	1,420.56	1/4	1,083.49	1/4	746.33	1/4	419.40	1/4	92.94	1/4		1/4	
1/2	2,088.49	1/2	1,750.81	1/2	1,413.56	1/2	1,076.47	1/2	739.30	1/2	412.81	1/2	86.35	1/2		1/2	
3/4	2,081.45	3/4	1,743.77	3/4	1,406.56	3/4	1,069.45	3/4	732.28	3/4	406.23	3/4	79.77	3/4		3/4	
10	2,074.42	10	1,736.74	10	1,399.55	10	1,062.42	10	725.25	10	399.65	10	73.19	10		10	
1/4	2,067.38	1/4	1,729.70	1/4	1,392.53	1/4	1,055.40	1/4	718.22	1/4	392.77	1/4	66.60	1/4		1/4	
1/2	2,060.35	1/2	1,722.67	1/2	1,385.50	1/2	1,048.38	1/2	711.19	1/2	385.90	1/2	60.02	1/2		1/2	
3/4	2,053.31	3/4	1,715.63	3/4	1,378.47	3/4	1,041.36	3/4	704.32	3/4	379.02	3/4	53.83	3/4		3/4	
11	2,046.28	11	1,708.60	11	1,371.44	11	1,034.34	11	697.45	11	372.15	11	47.64	11		11	
1/4	2,039.24	1/4	1,701.56	1/4	1,364.42	1/4	1,027.32	1/4	690.57	1/4	365.28	1/4	42.33	1/4		1/4	
1/2	2,032.21	1/2	1,694.53	1/2	1,357.39	1/2	1,020.30	1/2	683.70	1/2	358.40	1/2	37.02	1/2		1/2	
3/4	2,025.17	3/4	1,687.49	3/4	1,350.36	3/4	1,013.28	3/4	676.82	3/4	351.53	3/4	31.71	3/4		3/4	

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 16'-9" (RIM OF 8" DIAMETER HATCH ON EXPANSION TRUNK)

STRAPPED 11/7/96

INSPECTORATE AMERICA CORPORATION



# BARGE "GONSOULIN-109"

LeBeouf Brothers Towing Company

## OUTAGE TABLE

TANK NUMBER:

# 2 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4248 SHEET NO. 1 OF 2

1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0		0	5,596.94	0	5,206.93	0	4,808.52	0	4,408.39	0	4,008.27	0	3,608.14	0	3,208.01	0	
1/4		1/4	5,590.76	1/4	5,198.66	1/4	4,800.19	1/4	4,400.06	1/4	3,999.93	1/4	3,599.80	1/4	3,199.67	1/4	
1/2		1/2	5,584.57	1/2	5,190.39	1/2	4,791.85	1/2	4,391.72	1/2	3,991.59	1/2	3,591.47	1/2	3,191.34	1/2	
3/4		3/4	5,577.00	3/4	5,182.12	3/4	4,783.51	3/4	4,383.39	3/4	3,983.26	3/4	3,583.13	3/4	3,183.00	3/4	
1		1	5,569.42	1	5,173.85	1	4,775.18	1	4,375.05	1	3,974.92	1	3,574.79	1	3,174.67	1	
1/4		1/4	5,561.85	1/4	5,165.58	1/4	4,766.84	1/4	4,366.71	1/4	3,966.59	1/4	3,566.46	1/4	3,166.33	1/4	
1/2		1/2	5,554.27	1/2	5,157.31	1/2	4,758.51	1/2	4,358.38	1/2	3,958.25	1/2	3,558.12	1/2	3,157.99	1/2	
3/4		3/4	5,546.00	3/4	5,149.04	3/4	4,750.17	3/4	4,350.04	3/4	3,949.91	3/4	3,549.79	3/4	3,149.66	3/4	
2		2	5,537.73	2	5,140.77	2	4,741.83	2	4,341.71	2	3,941.58	2	3,541.45	2	3,141.32	2	
1/4		1/4	5,529.46	1/4	5,132.50	1/4	4,733.50	1/4	4,333.37	1/4	3,933.24	1/4	3,533.11	1/4	3,132.99	1/4	
1/2		1/2	5,521.19	1/2	5,124.23	1/2	4,725.16	1/2	4,325.03	1/2	3,924.91	1/2	3,524.78	1/2	3,124.65	1/2	
3/4		3/4	5,512.92	3/4	5,115.96	3/4	4,716.83	3/4	4,316.70	3/4	3,916.57	3/4	3,516.44	3/4	3,116.31	3/4	
3		3	5,504.65	3	5,107.69	3	4,708.49	3	4,308.36	3	3,908.23	3	3,508.11	3	3,107.98	3	
1/4		1/4	5,496.38	1/4	5,099.42	1/4	4,700.15	1/4	4,300.03	1/4	3,899.90	1/4	3,499.77	1/4	3,099.64	1/4	
1/2		1/2	5,488.11	1/2	5,091.15	1/2	4,691.82	1/2	4,291.69	1/2	3,891.56	1/2	3,491.43	1/2	3,091.31	1/2	
3/4		3/4	5,479.84	3/4	5,082.88	3/4	4,683.48	3/4	4,283.35	3/4	3,883.23	3/4	3,483.10	3/4	3,082.97	3/4	
4		4	5,471.57	4	5,074.61	4	4,675.15	4	4,275.02	4	3,874.89	4	3,474.76	4	3,074.63	4	
1/4		1/4	5,463.30	1/4	5,066.34	1/4	4,666.81	1/4	4,266.68	1/4	3,866.55	1/4	3,466.43	1/4	3,066.30	1/4	
1/2		1/2	5,455.03	1/2	5,058.07	1/2	4,658.47	1/2	4,258.35	1/2	3,858.22	1/2	3,458.09	1/2	3,057.96	1/2	
3/4		3/4	5,446.76	3/4	5,049.80	3/4	4,650.14	3/4	4,250.01	3/4	3,849.88	3/4	3,449.75	3/4	3,049.63	3/4	
5		5	5,438.49	5	5,041.53	5	4,641.80	5	4,241.67	5	3,841.55	5	3,441.42	5	3,041.29	5	
1/4		1/4	5,430.22	1/4	5,033.26	1/4	4,633.47	1/4	4,233.34	1/4	3,833.21	1/4	3,433.08	1/4	3,032.95	1/4	
1/2		1/2	5,421.95	1/2	5,024.99	1/2	4,625.13	1/2	4,225.00	1/2	3,824.87	1/2	3,424.75	1/2	3,024.62	1/2	
3/4		3/4	5,413.68	3/4	5,016.72	3/4	4,616.79	3/4	4,216.67	3/4	3,816.54	3/4	3,416.41	3/4	3,016.28	3/4	
6		6	5,405.41	6	5,008.45	6	4,608.46	6	4,208.33	6	3,808.20	6	3,408.07	6	3,007.95	6	
1/4		1/4	5,397.14	1/4	5,000.18	1/4	4,600.12	1/4	4,199.99	1/4	3,799.87	1/4	3,399.74	1/4	2,999.61	1/4	
1/2		1/2	5,388.87	1/2	4,991.91	1/2	4,591.79	1/2	4,191.66	1/2	3,791.53	1/2	3,391.40	1/2	2,991.27	1/2	
3/4		3/4	5,380.60	3/4	4,983.58	3/4	4,583.45	3/4	4,183.32	3/4	3,783.19	3/4	3,383.07	3/4	2,982.94	3/4	
7		7	5,372.33	7	4,975.24	7	4,575.11	7	4,174.99	7	3,774.86	7	3,374.73	7	2,974.60	7	
1/4		1/4	5,364.06	1/4	4,966.91	1/4	4,566.78	1/4	4,166.65	1/4	3,766.52	1/4	3,366.39	1/4	2,966.27	1/4	
1/2	5,652.69	1/2	5,355.79	1/2	4,958.57	1/2	4,558.44	1/2	4,158.31	1/2	3,758.19	1/2	3,358.06	1/2	2,957.93	1/2	
3/4	5,652.06	3/4	5,347.52	3/4	4,950.23	3/4	4,550.11	3/4	4,149.98	3/4	3,749.85	3/4	3,349.72	3/4	2,949.59	3/4	
8	5,651.44	8	5,339.25	8	4,941.90	8	4,541.77	8	4,141.64	8	3,741.51	8	3,341.39	8	2,941.26	8	
1/4	5,650.81	1/4	5,330.98	1/4	4,933.56	1/4	4,533.43	1/4	4,133.31	1/4	3,733.18	1/4	3,333.05	1/4	2,932.92	1/4	
1/2	5,650.18	1/2	5,322.71	1/2	4,925.23	1/2	4,525.10	1/2	4,124.97	1/2	3,724.84	1/2	3,324.71	1/2	2,924.59	1/2	
3/4	5,648.17	3/4	5,314.44	3/4	4,916.89	3/4	4,516.76	3/4	4,116.63	3/4	3,716.51	3/4	3,316.38	3/4	2,916.25	3/4	
9	5,646.15	9	5,306.17	9	4,908.55	9	4,508.43	9	4,108.30	9	3,708.17	9	3,308.04	9	2,907.91	9	
1/4	5,644.13	1/4	5,297.90	1/4	4,900.22	1/4	4,500.99	1/4	4,099.96	1/4	3,699.83	1/4	3,299.71	1/4	2,899.58	1/4	
1/2	5,642.12	1/2	5,289.63	1/2	4,891.88	1/2	4,491.75	1/2	4,091.63	1/2	3,691.50	1/2	3,291.37	1/2	2,891.24	1/2	
3/4	5,638.71	3/4	5,281.36	3/4	4,883.55	3/4	4,483.42	3/4	4,083.29	3/4	3,683.16	3/4	3,283.03	3/4	2,882.91	3/4	
10	5,635.31	10	5,273.09	10	4,875.21	10	4,475.08	10	4,074.95	10	3,674.83	10	3,274.70	10	2,874.57	10	
1/4	5,631.90	1/4	5,264.82	1/4	4,866.87	1/4	4,466.75	1/4	4,066.62	1/4	3,666.49	1/4	3,266.36	1/4	2,866.23	1/4	
1/2	5,628.49	1/2	5,256.55	1/2	4,858.54	1/2	4,458.41	1/2	4,058.28	1/2	3,658.15	1/2	3,258.03	1/2	2,857.90	1/2	
3/4	5,623.70	3/4	5,248.28	3/4	4,850.20	3/4	4,450.07	3/4	4,049.95	3/4	3,649.82	3/4	3,249.69	3/4	2,849.56	3/4	
11	5,618.90	11	5,240.01	11	4,841.87	11	4,441.74	11	4,041.61	11	3,641.48	11	3,241.35	11	2,841.23	11	
1/4	5,614.11	1/4	5,231.74	1/4	4,833.53	1/4	4,433.40	1/4	4,033.27	1/4	3,633.15	1/4	3,233.02	1/4	2,832.89	1/4	
1/2	5,609.31	1/2	5,223.47	1/2	4,825.19	1/2	4,425.07	1/2	4,024.94	1/2	3,624.81	1/2	3,224.68	1/2	2,824.55	1/2	
3/4	5,603.13	3/4	5,215.20	3/4	4,816.86	3/4	4,416.73	3/4	4,016.60	3/4	3,616.47	3/4	3,216.35	3/4	2,816.22	3/4	

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 16'-9" (RIM OF 8" DIAMETER HATCH ON EXPANSION TRUNK)

STRAPPED: 11/7/96

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



# BARGE "GONSOULIN-109"

LeBeouf Brothers Towing Company

TANK NUMBER:

## OUTAGE TABLE

# 2 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4248

SHEET NO. 2 OF 2

9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		15 FEET		16 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	2,807.88	0	2,407.75	0	2,007.63	0	1,609.66	0	1,211.06	0	812.57	0	426.04	0	44.14	0	
1/4	2,799.55	1/4	2,399.42	1/4	1,999.29	1/4	1,601.34	1/4	1,202.76	1/4	804.40	1/4	417.87	1/4	37.83	1/4	
1/2	2,791.21	1/2	2,391.08	1/2	1,990.95	1/2	1,593.02	1/2	1,194.46	1/2	796.23	1/2	409.70	1/2	31.51	1/2	
3/4	2,782.87	3/4	2,382.75	3/4	1,982.62	3/4	1,584.70	3/4	1,186.17	3/4	788.06	3/4	401.53	3/4	27.05	3/4	
1	2,774.54	1	2,374.41	1	1,974.28	1	1,576.37	1	1,177.87	1	779.89	1	393.37	1	22.59	1	
1/4	2,766.20	1/4	2,366.07	1/4	1,965.95	1/4	1,568.05	1/4	1,169.57	1/4	771.73	1/4	385.20	1/4	18.12	1/4	
1/2	2,757.87	1/2	2,357.74	1/2	1,957.61	1/2	1,559.73	1/2	1,161.27	1/2	763.56	1/2	377.03	1/2	13.66	1/2	
3/4	2,749.53	3/4	2,349.40	3/4	1,949.27	3/4	1,551.41	3/4	1,152.98	3/4	755.39	3/4	368.86	3/4	11.05	3/4	
2	2,741.19	2	2,341.07	2	1,940.94	2	1,543.09	2	1,144.68	2	747.22	2	360.69	2	8.44	2	
1/4	2,732.86	1/4	2,332.73	1/4	1,932.60	1/4	1,534.76	1/4	1,136.38	1/4	739.05	1/4	352.53	1/4	5.82	1/4	
1/2	2,724.52	1/2	2,324.39	1/2	1,924.27	1/2	1,526.44	1/2	1,128.09	1/2	730.89	1/2	344.36	1/2	3.21	1/2	
3/4	2,716.19	3/4	2,316.06	3/4	1,915.93	3/4	1,518.12	3/4	1,119.79	3/4	722.72	3/4	336.19	3/4	2.45	3/4	
3	2,707.85	3	2,307.72	3	1,907.59	3	1,509.80	3	1,111.49	3	714.55	3	328.02	3	1.69	3	
1/4	2,699.51	1/4	2,299.39	1/4	1,899.26	1/4	1,501.48	1/4	1,103.20	1/4	706.38	1/4	319.85	1/4	0.94	1/4	
1/2	2,691.18	1/2	2,291.05	1/2	1,890.92	1/2	1,493.15	1/2	1,094.90	1/2	698.21	1/2	311.69	1/2	0.18	1/2	
3/4	2,682.84	3/4	2,282.71	3/4	1,882.59	3/4	1,484.86	3/4	1,086.58	3/4	690.05	3/4	303.52	3/4	0.17	3/4	
4	2,674.51	4	2,274.38	4	1,874.25	4	1,476.56	4	1,078.25	4	681.88	4	295.35	4	0.16	4	
1/4	2,666.17	1/4	2,266.04	1/4	1,865.91	1/4	1,468.26	1/4	1,069.93	1/4	673.71	1/4	287.18	1/4	0.15	1/4	
1/2	2,657.83	1/2	2,257.71	1/2	1,857.58	1/2	1,459.97	1/2	1,061.61	1/2	665.54	1/2	279.01	1/2	0.14	1/2	
3/4	2,649.50	3/4	2,249.37	3/4	1,849.24	3/4	1,451.67	3/4	1,053.29	3/4	657.37	3/4	270.85	3/4	0.14	3/4	
5	2,641.16	5	2,241.03	5	1,840.91	5	1,443.37	5	1,044.97	5	649.21	5	262.68	5	0.13	5	
1/4	2,632.83	1/4	2,232.70	1/4	1,832.57	1/4	1,435.08	1/4	1,036.64	1/4	641.04	1/4	254.51	1/4	0.12	1/4	
1/2	2,624.49	1/2	2,224.36	1/2	1,824.23	1/2	1,426.78	1/2	1,028.32	1/2	632.87	1/2	246.34	1/2	0.11	1/2	
3/4	2,616.15	3/4	2,216.03	3/4	1,815.90	3/4	1,418.48	3/4	1,020.00	3/4	624.70	3/4	238.17	3/4	0.10	3/4	
6	2,607.82	6	2,207.69	6	1,807.56	6	1,410.18	6	1,011.68	6	616.53	6	230.01	6	0.10	6	
1/4	2,599.48	1/4	2,199.35	1/4	1,799.23	1/4	1,401.89	1/4	1,003.36	1/4	608.37	1/4	221.84	1/4	0.09	1/4	
1/2	2,591.15	1/2	2,191.02	1/2	1,790.89	1/2	1,393.59	1/2	995.03	1/2	600.20	1/2	213.67	1/2	0.08	1/2	
3/4	2,582.81	3/4	2,182.68	3/4	1,782.68	3/4	1,385.29	3/4	986.71	3/4	592.38	3/4	205.50	3/4	0.07	3/4	
7	2,574.47	7	2,174.35	7	1,774.48	7	1,377.00	7	978.39	7	584.55	7	197.33	7	0.06	7	
1/4	2,566.14	1/4	2,166.01	1/4	1,766.27	1/4	1,368.70	1/4	970.07	1/4	576.73	1/4	189.17	1/4	0.06	1/4	
1/2	2,557.80	1/2	2,157.67	1/2	1,758.07	1/2	1,360.40	1/2	961.75	1/2	568.91	1/2	181.00	1/2	0.05	1/2	
3/4	2,549.47	3/4	2,149.34	3/4	1,749.86	3/4	1,352.11	3/4	953.42	3/4	561.09	3/4	173.18	3/4	0.04	3/4	
8	2,541.13	8	2,141.00	8	1,741.65	8	1,343.81	8	945.10	8	553.27	8	165.35	8	0.03	8	
1/4	2,532.79	1/4	2,132.67	1/4	1,733.45	1/4	1,335.51	1/4	936.78	1/4	545.44	1/4	157.53	1/4	0.02	1/4	
1/2	2,524.46	1/2	2,124.33	1/2	1,725.24	1/2	1,327.21	1/2	928.46	1/2	537.62	1/2	149.71	1/2	0.02	1/2	
3/4	2,516.12	3/4	2,115.99	3/4	1,717.04	3/4	1,318.92	3/4	920.14	3/4	529.80	3/4	141.89	3/4	0.01	3/4	
9	2,507.79	9	2,107.66	9	1,708.83	9	1,310.62	9	911.81	9	521.98	9	134.07	9	0.00	9	
1/4	2,499.45	1/4	2,099.32	1/4	1,700.62	1/4	1,302.32	1/4	903.49	1/4	514.16	1/4	126.24	1/4		1/4	
1/2	2,491.11	1/2	2,090.99	1/2	1,692.42	1/2	1,294.03	1/2	895.17	1/2	506.33	1/2	118.42	1/2		1/2	
3/4	2,482.78	3/4	2,082.65	3/4	1,684.21	3/4	1,285.73	3/4	886.85	3/4	498.51	3/4	110.60	3/4		3/4	
10	2,474.44	10	2,074.31	10	1,676.01	10	1,277.43	10	878.53	10	490.69	10	102.78	10		10	
1/4	2,466.11	1/4	2,065.98	1/4	1,667.80	1/4	1,269.14	1/4	870.20	1/4	482.87	1/4	94.96	1/4		1/4	
1/2	2,457.77	1/2	2,057.64	1/2	1,659.59	1/2	1,260.84	1/2	861.88	1/2	475.05	1/2	87.13	1/2		1/2	
3/4	2,449.43	3/4	2,049.31	3/4	1,651.27	3/4	1,252.54	3/4	853.56	3/4	466.88	3/4	79.31	3/4		3/4	
11	2,441.10	11	2,040.97	11	1,642.95	11	1,244.24	11	845.24	11	458.71	11	71.49	11		11	
1/4	2,432.76	1/4	2,032.63	1/4	1,634.63	1/4	1,235.95	1/4	837.07	1/4	450.54	1/4	64.13	1/4		1/4	
1/2	2,424.43	1/2	2,024.30	1/2	1,626.31	1/2	1,227.65	1/2	828.90	1/2	442.37	1/2	56.77	1/2		1/2	
3/4	2,416.09	3/4	2,015.96	3/4	1,617.98	3/4	1,219.35	3/4	820.73	3/4	434.21	3/4	50.46	3/4		3/4	

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 16'-9" (RIM OF 8" DIAMETER HATCH ON EXPANSION TRUNK)

STRAPPED 11/7/96

*Brown*  
INSPECTORATE AMERICA CORPORATION



# BARGE "GONSOULIN-109"

LeBeouf Brothers Towing Company

TANK NUMBER:

## OUTAGE TABLE

# 3 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4248 SHEET NO. 1 OF 2

1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0		0	3,976.43	0	3,813.22	0	3,646.47	0	3,479.00	0	3,311.53	0	3,030.76	0	2,695.41	0	
1/4		1/4	3,973.85	1/4	3,809.76	1/4	3,642.98	1/4	3,475.51	1/4	3,308.04	1/4	3,023.78	1/4	2,688.40	1/4	
1/2		1/2	3,971.26	1/2	3,806.29	1/2	3,639.49	1/2	3,472.02	1/2	3,304.55	1/2	3,016.79	1/2	2,681.38	1/2	
3/4		3/4	3,968.09	3/4	3,802.83	3/4	3,636.01	3/4	3,468.53	3/4	3,301.06	3/4	3,009.80	3/4	2,674.37	3/4	
1		1	3,964.92	1	3,799.37	1	3,632.52	1	3,465.04	1	3,297.53	1	3,002.82	1	2,667.36	1	
1/4		1/4	3,961.75	1/4	3,795.91	1/4	3,629.03	1/4	3,461.56	1/4	3,293.65	1/4	2,995.83	1/4	2,660.35	1/4	
1/2		1/2	3,958.58	1/2	3,792.45	1/2	3,625.54	1/2	3,458.07	1/2	3,289.76	1/2	2,988.85	1/2	2,653.34	1/2	
3/4		3/4	3,955.12	3/4	3,788.99	3/4	3,622.05	3/4	3,454.58	3/4	3,285.88	3/4	2,981.86	3/4	2,646.32	3/4	
2		2	3,951.66	2	3,785.53	2	3,618.56	2	3,451.09	2	3,282.00	2	2,974.87	2	2,639.31	2	
1/4		1/4	3,948.20	1/4	3,782.07	1/4	3,615.07	1/4	3,447.60	1/4	3,277.55	1/4	2,967.89	1/4	2,632.30	1/4	
1/2		1/2	3,944.73	1/2	3,778.61	1/2	3,611.58	1/2	3,444.11	1/2	3,273.10	1/2	2,960.90	1/2	2,625.29	1/2	
3/4		3/4	3,941.27	3/4	3,775.15	3/4	3,608.09	3/4	3,440.62	3/4	3,268.66	3/4	2,953.92	3/4	2,618.28	3/4	
3		3	3,937.81	3	3,771.68	3	3,604.60	3	3,437.13	3	3,264.21	3	2,946.93	3	2,611.26	3	
1/4		1/4	3,934.35	1/4	3,768.22	1/4	3,601.12	1/4	3,433.64	1/4	3,259.20	1/4	2,939.94	1/4	2,604.25	1/4	
1/2		1/2	3,930.89	1/2	3,764.76	1/2	3,597.63	1/2	3,430.15	1/2	3,254.19	1/2	2,932.96	1/2	2,597.24	1/2	
3/4		3/4	3,927.43	3/4	3,761.30	3/4	3,594.14	3/4	3,426.67	3/4	3,249.17	3/4	2,925.97	3/4	2,590.23	3/4	
4		4	3,923.97	4	3,757.84	4	3,590.65	4	3,423.18	4	3,244.16	4	2,918.99	4	2,583.22	4	
1/4		1/4	3,920.51	1/4	3,754.38	1/4	3,587.16	1/4	3,419.69	1/4	3,238.59	1/4	2,912.00	1/4	2,576.20	1/4	
1/2		1/2	3,917.05	1/2	3,750.92	1/2	3,583.67	1/2	3,416.20	1/2	3,233.01	1/2	2,905.01	1/2	2,569.19	1/2	
3/4		3/4	3,913.59	3/4	3,747.46	3/4	3,580.18	3/4	3,412.71	3/4	3,227.43	3/4	2,898.03	3/4	2,562.18	3/4	
5		5	3,910.12	5	3,744.00	5	3,576.69	5	3,409.22	5	3,221.86	5	2,891.04	5	2,555.17	5	
1/4		1/4	3,906.66	1/4	3,740.54	1/4	3,573.20	1/4	3,405.73	1/4	3,215.72	1/4	2,884.06	1/4	2,548.16	1/4	
1/2		1/2	3,903.20	1/2	3,737.07	1/2	3,569.71	1/2	3,402.24	1/2	3,209.58	1/2	2,877.07	1/2	2,541.14	1/2	
3/4		3/4	3,899.74	3/4	3,733.61	3/4	3,566.23	3/4	3,398.75	3/4	3,203.44	3/4	2,870.08	3/4	2,534.13	3/4	
6		6	3,896.28	6	3,730.15	6	3,562.74	6	3,395.26	6	3,197.30	6	2,863.10	6	2,527.12	6	
1/4		1/4	3,892.82	1/4	3,726.69	1/4	3,559.25	1/4	3,391.78	1/4	3,190.59	1/4	2,856.11	1/4	2,520.11	1/4	
1/2		1/2	3,889.36	1/2	3,723.23	1/2	3,555.76	1/2	3,388.29	1/2	3,183.89	1/2	2,849.13	1/2	2,513.10	1/2	
3/4		3/4	3,885.90	3/4	3,719.74	3/4	3,552.27	3/4	3,384.80	3/4	3,177.19	3/4	2,842.14	3/4	2,506.08	3/4	
7		7	3,882.44	7	3,716.25	7	3,548.78	7	3,381.31	7	3,170.48	7	2,835.15	7	2,499.07	7	
1/4		1/4	3,878.98	1/4	3,712.76	1/4	3,545.29	1/4	3,377.82	1/4	3,163.50	1/4	2,828.17	1/4	2,492.06	1/4	
1/2	3,999.76	1/2	3,875.51	1/2	3,709.27	1/2	3,541.80	1/2	3,374.33	1/2	3,156.51	1/2	2,821.18	1/2	2,485.05	1/2	
3/4	3,999.50	3/4	3,872.05	3/4	3,705.79	3/4	3,538.31	3/4	3,370.84	3/4	3,149.52	3/4	2,814.20	3/4	2,478.04	3/4	
8	3,999.24	8	3,868.59	8	3,702.30	8	3,534.82	8	3,367.35	8	3,142.54	8	2,807.21	8	2,471.02	8	
1/4	3,998.98	1/4	3,865.13	1/4	3,698.81	1/4	3,531.34	1/4	3,363.86	1/4	3,135.55	1/4	2,800.22	1/4	2,464.01	1/4	
1/2	3,998.71	1/2	3,861.67	1/2	3,695.32	1/2	3,527.85	1/2	3,360.37	1/2	3,128.57	1/2	2,793.24	1/2	2,457.00	1/2	
3/4	3,997.87	3/4	3,858.21	3/4	3,691.83	3/4	3,524.36	3/4	3,356.89	3/4	3,121.58	3/4	2,786.25	3/4	2,449.99	3/4	
9	3,997.03	9	3,854.75	9	3,688.34	9	3,520.87	9	3,353.40	9	3,114.59	9	2,779.27	9	2,442.98	9	
1/4	3,996.18	1/4	3,851.29	1/4	3,684.85	1/4	3,517.38	1/4	3,349.91	1/4	3,107.61	1/4	2,772.28	1/4	2,435.96	1/4	
1/2	3,995.34	1/2	3,847.83	1/2	3,681.36	1/2	3,513.89	1/2	3,346.42	1/2	3,100.62	1/2	2,765.29	1/2	2,428.95	1/2	
3/4	3,993.91	3/4	3,844.37	3/4	3,677.87	3/4	3,510.40	3/4	3,342.93	3/4	3,093.64	3/4	2,758.31	3/4	2,421.94	3/4	
10	3,992.49	10	3,840.90	10	3,674.38	10	3,506.91	10	3,339.44	10	3,086.65	10	2,751.32	10	2,414.93	10	
1/4	3,991.06	1/4	3,837.44	1/4	3,670.90	1/4	3,503.42	1/4	3,335.95	1/4	3,079.66	1/4	2,744.34	1/4	2,407.92	1/4	
1/2	3,989.64	1/2	3,833.98	1/2	3,667.41	1/2	3,499.93	1/2	3,332.46	1/2	3,072.68	1/2	2,737.35	1/2	2,400.90	1/2	
3/4	3,987.63	3/4	3,830.52	3/4	3,663.92	3/4	3,496.45	3/4	3,328.97	3/4	3,065.69	3/4	2,730.36	3/4	2,393.89	3/4	
11	3,985.62	11	3,827.06	11	3,660.43	11	3,492.96	11	3,325.48	11	3,058.71	11	2,723.38	11	2,386.88	11	
1/4	3,983.62	1/4	3,823.60	1/4	3,656.94	1/4	3,489.47	1/4	3,322.00	1/4	3,051.72	1/4	2,716.39	1/4	2,379.87	1/4	
1/2	3,981.61	1/2	3,820.14	1/2	3,653.45	1/2	3,485.98	1/2	3,318.51	1/2	3,044.73	1/2	2,709.41	1/2	2,372.86	1/2	
3/4	3,979.02	3/4	3,816.68	3/4	3,649.96	3/4	3,482.49	3/4	3,315.02	3/4	3,037.75	3/4	2,702.42	3/4	2,365.84	3/4	

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 16'-9 1/2" (RIM OF 8" DIAMETER HATCH ON EXPANSION TRUNK)

STRAPPED: 11/7/96

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION





# BARGE "GONSOULIN-109"

LeBeouf Brothers Towing Company

## OUTAGE TABLE

TANK NUMBER:

# 3 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4248

SHEET NO. 2 OF 2

9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		15 FEET		16 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	2,358.83	0	2,022.26	0	1,685.68	0	1,351.14	0	1,015.99	0	680.96	0	356.96	0	36.85	0	
1/4	2,351.82	1/4	2,015.24	1/4	1,678.67	1/4	1,344.14	1/4	1,009.02	1/4	674.11	1/4	350.11	1/4	31.56	1/4	
1/2	2,344.81	1/2	2,008.23	1/2	1,671.66	1/2	1,337.14	1/2	1,002.04	1/2	667.26	1/2	343.26	1/2	26.27	1/2	
3/4	2,337.80	3/4	2,001.22	3/4	1,664.64	3/4	1,330.14	3/4	995.07	3/4	660.42	3/4	336.42	3/4	22.54	3/4	
1	2,330.78	1	1,994.21	1	1,657.63	1	1,323.14	1	988.09	1	653.57	1	329.57	1	18.81	1	
1/4	2,323.77	1/4	1,987.20	1/4	1,650.62	1/4	1,316.14	1/4	981.12	1/4	646.72	1/4	322.72	1/4	15.08	1/4	
1/2	2,316.76	1/2	1,980.18	1/2	1,643.61	1/2	1,309.14	1/2	974.14	1/2	639.87	1/2	315.87	1/2	11.34	1/2	
3/4	2,309.75	3/4	1,973.17	3/4	1,636.60	3/4	1,302.14	3/4	967.17	3/4	633.03	3/4	309.03	3/4	9.17	3/4	
2	2,302.74	2	1,966.16	2	1,629.58	2	1,295.14	2	960.19	2	626.18	2	302.18	2	7.00	2	
1/4	2,295.72	1/4	1,959.15	1/4	1,622.57	1/4	1,288.14	1/4	953.22	1/4	619.33	1/4	295.33	1/4	4.83	1/4	
1/2	2,288.71	1/2	1,952.14	1/2	1,615.56	1/2	1,281.14	1/2	946.24	1/2	612.49	1/2	288.49	1/2	2.65	1/2	
3/4	2,281.70	3/4	1,945.12	3/4	1,608.55	3/4	1,274.14	3/4	939.27	3/4	605.64	3/4	281.64	3/4	2.04	3/4	
3	2,274.69	3	1,938.11	3	1,601.54	3	1,267.14	3	932.29	3	598.79	3	274.79	3	1.42	3	
1/4	2,267.68	1/4	1,931.10	1/4	1,594.52	1/4	1,260.14	1/4	925.32	1/4	591.95	1/4	267.95	1/4	0.81	1/4	
1/2	2,260.66	1/2	1,924.09	1/2	1,587.51	1/2	1,253.14	1/2	918.34	1/2	585.10	1/2	261.10	1/2	0.19	1/2	
3/4	2,253.65	3/4	1,917.08	3/4	1,580.50	3/4	1,246.17	3/4	911.34	3/4	578.25	3/4	254.25	3/4	0.18	3/4	
4	2,246.64	4	1,910.06	4	1,573.49	4	1,239.19	4	904.34	4	571.40	4	247.40	4	0.18	4	
1/4	2,239.63	1/4	1,903.05	1/4	1,566.48	1/4	1,232.22	1/4	897.34	1/4	564.56	1/4	240.56	1/4	0.17	1/4	
1/2	2,232.62	1/2	1,896.04	1/2	1,559.46	1/2	1,225.24	1/2	890.34	1/2	557.71	1/2	233.71	1/2	0.16	1/2	
3/4	2,225.60	3/4	1,889.03	3/4	1,552.45	3/4	1,218.27	3/4	883.34	3/4	550.86	3/4	226.86	3/4	0.15	3/4	
5	2,218.59	5	1,882.02	5	1,545.44	5	1,211.29	5	876.34	5	544.02	5	220.02	5	0.14	5	
1/4	2,211.58	1/4	1,875.00	1/4	1,538.43	1/4	1,204.32	1/4	869.34	1/4	537.17	1/4	213.17	1/4	0.14	1/4	
1/2	2,204.57	1/2	1,867.99	1/2	1,531.42	1/2	1,197.34	1/2	862.34	1/2	530.32	1/2	206.32	1/2	0.13	1/2	
3/4	2,197.56	3/4	1,860.98	3/4	1,524.40	3/4	1,190.37	3/4	855.34	3/4	523.48	3/4	199.48	3/4	0.12	3/4	
6	2,190.54	6	1,853.97	6	1,517.39	6	1,183.39	6	848.34	6	516.63	6	192.63	6	0.11	6	
1/4	2,183.53	1/4	1,846.96	1/4	1,510.38	1/4	1,176.42	1/4	841.34	1/4	509.78	1/4	185.78	1/4	0.10	1/4	
1/2	2,176.52	1/2	1,839.94	1/2	1,503.37	1/2	1,169.44	1/2	834.34	1/2	502.93	1/2	178.93	1/2	0.10	1/2	
3/4	2,169.51	3/4	1,832.93	3/4	1,496.48	3/4	1,162.47	3/4	827.34	3/4	496.38	3/4	172.09	3/4	0.09	3/4	
7	2,162.50	7	1,825.92	7	1,489.59	7	1,155.49	7	820.34	7	489.82	7	165.24	7	0.08	7	
1/4	2,155.48	1/4	1,818.91	1/4	1,482.70	1/4	1,148.52	1/4	813.34	1/4	483.27	1/4	158.39	1/4	0.07	1/4	
1/2	2,148.47	1/2	1,811.90	1/2	1,475.81	1/2	1,141.54	1/2	806.34	1/2	476.71	1/2	151.55	1/2	0.06	1/2	
3/4	2,141.46	3/4	1,804.88	3/4	1,468.92	3/4	1,134.57	3/4	799.34	3/4	470.15	3/4	144.99	3/4	0.06	3/4	
8	2,134.45	8	1,797.87	8	1,462.03	8	1,127.59	8	792.34	8	463.60	8	138.43	8	0.05	8	
1/4	2,127.44	1/4	1,790.86	1/4	1,455.15	1/4	1,120.62	1/4	785.34	1/4	457.04	1/4	131.88	1/4	0.04	1/4	
1/2	2,120.42	1/2	1,783.85	1/2	1,448.26	1/2	1,113.64	1/2	778.34	1/2	450.49	1/2	125.32	1/2	0.03	1/2	
3/4	2,113.41	3/4	1,776.84	3/4	1,441.37	3/4	1,106.67	3/4	771.34	3/4	443.93	3/4	118.77	3/4	0.02	3/4	
9	2,106.40	9	1,769.82	9	1,434.48	9	1,099.69	9	764.34	9	437.37	9	112.21	9	0.02	9	
1/4	2,099.39	1/4	1,762.81	1/4	1,427.59	1/4	1,092.72	1/4	757.34	1/4	430.82	1/4	105.65	1/4	0.01	1/4	
1/2	2,092.38	1/2	1,755.80	1/2	1,420.70	1/2	1,085.74	1/2	750.34	1/2	424.26	1/2	99.10	1/2	0.00	1/2	
3/4	2,085.36	3/4	1,748.79	3/4	1,413.81	3/4	1,078.77	3/4	743.34	3/4	417.71	3/4	92.54	3/4		3/4	
10	2,078.35	10	1,741.78	10	1,406.92	10	1,071.79	10	736.34	10	411.15	10	85.99	10		10	
1/4	2,071.34	1/4	1,734.76	1/4	1,400.03	1/4	1,064.82	1/4	729.34	1/4	404.59	1/4	79.43	1/4		1/4	
1/2	2,064.33	1/2	1,727.75	1/2	1,393.14	1/2	1,057.84	1/2	722.34	1/2	398.04	1/2	72.87	1/2		1/2	
3/4	2,057.32	3/4	1,720.74	3/4	1,386.14	3/4	1,050.87	3/4	715.34	3/4	391.19	3/4	66.32	3/4		3/4	
11	2,050.30	11	1,713.73	11	1,379.14	11	1,043.89	11	708.34	11	384.34	11	59.76	11		11	
1/4	2,043.29	1/4	1,706.72	1/4	1,372.14	1/4	1,036.92	1/4	701.50	1/4	377.50	1/4	53.60	1/4		1/4	
1/2	2,036.28	1/2	1,699.70	1/2	1,365.14	1/2	1,029.94	1/2	694.65	1/2	370.65	1/2	47.43	1/2		1/2	
3/4	2,029.27	3/4	1,692.69	3/4	1,358.14	3/4	1,022.97	3/4	687.80	3/4	363.80	3/4	42.14	3/4		3/4	

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 16'-9 1/2" (RIM OF 8" DIAMETER HATCH ON EXPANSION TRUNK)

STRAPPED 11/7/96

INSPECTORATE AMERICA CORPORATION