



INSPECTORATE

BARGE "GONSOU LIN - 549"
LE BEOUF BROTHERS

INNAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with 16 columns representing gauge heights from 0 FT. to 16 FT. and 16 rows representing different measurement points from 0 to 16. Each cell contains capacity values for various gauging fractions (1/4, 1/2, 3/4) and a full value for that point.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 06/16/2016 JS MR
CALCULATED: 07/05/2016 BF
ISSUED: 07/06/2016

* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 16'-4 1/4" (TO RIM OF 2" DIA. BALL VALVE
LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



BARGE "GONSOULIN - 549" LE BEOUF BROTHERS

INNAGE TABLE

2 PORT OR STAR

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	22.81	365.21	716.81	1,076.16	1,436.37	1,798.41	2,160.45	2,522.50	2,884.54	3,246.58	3,608.63	3,970.67	4,332.71	4,692.12	5,037.30	6,294.28
1/4	27.19	392.72	723.32	1,083.65	1,443.91	1,805.95	2,168.00	2,530.04	2,892.08	3,254.13	3,616.17	3,978.21	4,340.26	4,699.43	5,044.30	
1/2	31.57	370.23	730.83	1,091.14	1,451.45	1,813.49	2,175.54	2,537.58	2,899.63	3,261.67	3,623.71	3,985.76	4,347.80	4,706.74	5,051.29	
3/4	35.95	377.74	738.35	1,098.63	1,458.99	1,821.04	2,183.08	2,545.12	2,907.17	3,269.21	3,631.25	3,993.30	4,355.34	4,714.05	5,058.28	
1	40.34	385.26	745.86	1,106.13	1,466.54	1,828.58	2,190.62	2,552.67	2,914.71	3,276.75	3,638.80	4,000.84	4,362.88	4,721.36	5,065.27	
1/4	45.79	392.77	753.37	1,113.62	1,474.08	1,836.12	2,198.17	2,560.21	2,922.25	3,284.30	3,646.34	4,008.38	4,370.43	4,728.67	5,072.26	
1/2	51.25	400.28	760.88	1,121.11	1,481.62	1,843.66	2,205.71	2,567.75	2,929.80	3,291.84	3,653.88	4,015.93	4,377.97	4,735.99	5,079.25	
3/4	56.71	407.79	768.40	1,128.60	1,489.16	1,851.21	2,213.25	2,575.29	2,937.34	3,299.38	3,661.43	4,023.47	4,385.51	4,743.30	5,086.24	
2	62.17	415.31	775.91	1,136.09	1,496.71	1,858.75	2,220.79	2,582.84	2,944.88	3,306.92	3,668.97	4,031.01	4,393.05	4,750.61	5,093.23	
1/4	68.88	422.82	783.42	1,143.58	1,504.25	1,866.29	2,228.34	2,590.38	2,952.42	3,314.47	3,676.51	4,038.55	4,400.60	4,757.92	5,100.23	
1/2	75.59	430.33	790.93	1,151.07	1,511.79	1,873.84	2,235.88	2,597.92	2,959.97	3,322.01	3,684.05	4,046.10	4,408.14	4,765.23	5,107.22	
3/4	82.29	437.84	798.45	1,158.57	1,519.33	1,881.38	2,243.42	2,605.46	2,967.51	3,329.55	3,691.60	4,053.64	4,415.68	4,772.54	5,114.21	
3	89.00	445.36	805.96	1,166.06	1,526.88	1,888.92	2,250.96	2,613.01	2,975.05	3,337.09	3,699.14	4,061.18	4,423.23	4,779.85	5,121.20	
1/4	96.34	452.87	813.47	1,173.55	1,534.42	1,896.46	2,258.51	2,620.55	2,982.59	3,344.64	3,706.68	4,068.72	4,430.77	4,787.09	5,128.11	
1/2	103.67	460.38	820.98	1,181.04	1,541.98	1,904.01	2,266.05	2,628.09	2,990.14	3,352.18	3,714.22	4,076.27	4,438.31	4,794.32	5,135.02	
3/4	111.01	467.89	828.50	1,188.53	1,549.50	1,911.55	2,273.59	2,635.64	2,997.68	3,359.72	3,721.77	4,083.81	4,445.85	4,801.55	5,141.93	
4	118.35	475.41	836.01	1,196.02	1,557.05	1,919.09	2,281.13	2,643.18	3,005.22	3,367.26	3,729.31	4,091.35	4,453.40	4,808.78	5,148.84	
1/4	125.68	482.92	843.52	1,203.52	1,564.59	1,926.63	2,288.68	2,650.72	3,012.76	3,374.81	3,736.85	4,098.89	4,460.94	4,816.01	5,155.76	
1/2	133.02	490.43	851.03	1,211.01	1,572.13	1,934.18	2,296.22	2,658.26	3,020.31	3,382.35	3,744.39	4,106.44	4,468.48	4,823.24	5,162.67	
3/4	140.35	497.94	858.55	1,218.50	1,579.67	1,941.72	2,303.76	2,665.81	3,027.85	3,389.89	3,751.94	4,113.98	4,476.02	4,830.47	5,169.58	
5	147.69	505.46	866.06	1,226.00	1,587.22	1,949.26	2,311.30	2,673.35	3,035.39	3,397.43	3,769.48	4,121.52	4,483.57	4,837.71	5,176.49	
1/4	155.02	512.97	873.57	1,233.48	1,594.76	1,956.80	2,318.85	2,680.89	3,042.93	3,404.98	3,776.02	4,129.06	4,491.11	4,844.94	5,183.40	
1/2	162.36	520.48	881.08	1,240.97	1,602.30	1,964.35	2,326.39	2,688.43	3,050.48	3,412.52	3,774.56	4,136.61	4,498.65	4,852.17	5,190.31	
3/4	169.69	527.99	888.60	1,248.46	1,609.84	1,971.89	2,333.93	2,695.98	3,058.02	3,420.06	3,782.11	4,144.15	4,506.19	4,859.40	5,197.22	
6	177.03	535.51	896.11	1,255.96	1,617.39	1,979.43	2,341.47	2,703.52	3,065.56	3,427.61	3,789.65	4,151.69	4,513.74	4,866.63	5,204.14	
1/4	184.36	543.02	903.62	1,263.45	1,624.93	1,986.97	2,349.02	2,711.06	3,073.10	3,435.15	3,797.19	4,159.23	4,521.21	4,873.78	5,211.02	
1/2	191.70	550.53	911.13	1,270.94	1,632.47	1,994.52	2,356.56	2,718.60	3,080.65	3,442.69	3,804.73	4,166.78	4,528.68	4,880.93	5,217.91	
3/4	199.04	558.04	918.65	1,278.43	1,640.02	2,002.06	2,364.10	2,726.15	3,088.19	3,450.23	3,812.28	4,174.32	4,536.15	4,888.09	5,224.79	
7	206.37	565.56	926.16	1,285.92	1,647.56	2,009.60	2,371.64	2,733.69	3,095.73	3,457.78	3,819.82	4,181.86	4,543.63	4,895.24	5,231.68	
1/4	213.71	573.07	933.67	1,293.41	1,655.10	2,017.14	2,379.19	2,741.23	3,103.27	3,465.32	3,827.36	4,189.41	4,551.10	4,902.39	5,237.31	
1/2	221.04	580.58	941.19	1,300.91	1,662.64	2,024.69	2,386.73	2,748.77	3,110.82	3,472.86	3,834.90	4,196.95	4,558.57	4,909.54	5,242.95	
3/4	228.38	588.09	948.70	1,308.40	1,670.19	2,032.23	2,394.27	2,756.32	3,118.36	3,480.40	3,842.45	4,204.49	4,566.04	4,916.69	5,248.58	
8	235.71	595.61	956.21	1,315.89	1,677.73	2,039.77	2,401.82	2,763.86	3,125.90	3,487.95	3,849.99	4,212.03	4,573.52	4,923.84	5,254.22	
1/4	243.05	603.12	963.72	1,323.38	1,685.27	2,047.31	2,409.36	2,771.40	3,133.44	3,495.49	3,861.53	4,219.58	4,580.99	4,930.99	5,259.85	
1/2	250.38	610.63	971.24	1,330.87	1,692.81	2,054.86	2,416.90	2,778.94	3,140.99	3,503.03	3,867.07	4,227.12	4,588.46	4,938.15	5,265.48	
3/4	257.72	618.15	978.75	1,338.36	1,700.36	2,062.40	2,424.44	2,786.49	3,148.53	3,510.57	3,872.62	4,234.66	4,595.93	4,945.30	5,271.11	
9	265.05	625.66	986.26	1,345.85	1,707.90	2,069.94	2,431.99	2,794.03	3,156.07	3,518.12	3,880.16	4,242.20	4,603.41	4,952.45	5,276.74	
1/4	272.39	633.17	993.77	1,353.40	1,715.44	2,077.48	2,439.53	2,801.57	3,163.62	3,525.66	3,887.70	4,249.75	4,610.80	4,959.52	5,277.88	
1/2	280.08	640.68	1,001.24	1,360.94	1,722.98	2,085.03	2,447.07	2,809.11	3,171.16	3,533.20	3,895.24	4,257.29	4,618.19	4,966.59	5,278.01	
3/4	287.59	648.20	1,008.74	1,368.48	1,730.53	2,092.57	2,454.61	2,816.66	3,178.70	3,540.74	3,902.79	4,264.83	4,625.58	4,973.66	5,281.14	
10	295.11	655.71	1,016.23	1,376.03	1,738.07	2,100.11	2,462.16	2,824.20	3,186.24	3,548.29	3,910.33	4,272.37	4,632.98	4,980.73	5,282.27	
1/4	302.62	663.22	1,023.72	1,383.57	1,745.61	2,107.65	2,469.70	2,831.74	3,193.79	3,555.83	3,917.87	4,279.92	4,640.37	4,987.80	5,286.14	
1/2	310.13	670.73	1,031.21	1,391.11	1,753.15	2,115.20	2,477.24	2,839.28	3,201.33	3,563.37	3,925.42	4,287.46	4,647.76	4,994.88	5,288.02	
3/4	317.64	678.25	1,038.70	1,398.65	1,760.70	2,122.74	2,484.78	2,846.83	3,208.87	3,570.91	3,932.96	4,295.00	4,655.15	4,999.95	5,289.90	
11	325.16	685.76	1,046.19	1,406.20	1,768.24	2,130.28	2,492.33	2,854.37	3,216.41	3,578.46	3,940.50	4,302.54	4,662.55	5,009.02	5,291.78	
1/4	332.67	693.27	1,053.68	1,413.74	1,775.78	2,137.83	2,499.87	2,861.91	3,223.96	3,586.00	3,948.04	4,310.09	4,669.94	5,018.09	5,292.40	
1/2	340.18	700.78	1,061.18	1,421.28	1,783.32	2,145.37	2,507.41	2,869.45	3,231.60	3,593.54	3,955.59	4,317.63	4,677.33	5,023.16	5,293.03	
3/4	347.69	708.30	1,068.67	1,428.82	1,790.87	2,152.91	2,514.95	2,877.00	3,239.04	3,601.08	3,963.13	4,325.17	4,684.72	5,030.23	5,293.66	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT: 16'-4 1/2" (TO RIM OF 2' DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 06/16/2016 JS MR
CALCULATED: 07/05/2016 BF
ISSUED: 07/05/2016

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

[Signature]
INSPECTORATE AMERICA CORPORATION

BARGE "GONSOULIN - 549" LE BEOUF BROTHERS

INNAGE TABLE

3 PORT OR STAR



INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	22.85	358.94	719.36	1,081.53	1,443.81	1,808.74	2,173.66	2,538.59	2,903.51	3,268.83	3,484.37	3,679.82	3,874.87	4,069.07	4,256.41	4,395.54
1/4	27.26	364.49	726.91	1,089.06	1,451.42	1,816.34	2,181.26	2,546.19	2,911.11	3,273.34	3,488.44	3,683.69	3,878.94	4,073.03	4,260.19	
1/2	31.66	372.04	734.46	1,096.59	1,459.02	1,823.94	2,188.87	2,553.79	2,918.71	3,279.84	3,492.51	3,687.76	3,883.01	4,076.99	4,263.98	
3/4	36.07	378.59	742.01	1,104.11	1,466.62	1,831.55	2,196.47	2,561.39	2,926.32	3,286.35	3,496.58	3,691.82	3,887.07	4,080.95	4,267.76	
1	40.47	387.14	749.66	1,111.64	1,474.22	1,839.15	2,204.07	2,569.00	2,933.92	3,292.86	3,500.64	3,695.89	3,891.14	4,084.91	4,271.55	
1/4	45.96	394.69	757.11	1,119.17	1,481.83	1,846.75	2,211.67	2,576.60	2,941.52	3,298.67	3,504.71	3,699.96	3,895.21	4,088.87	4,275.33	
1/2	51.44	402.24	764.66	1,126.70	1,489.43	1,854.35	2,219.28	2,584.20	2,949.12	3,304.47	3,508.78	3,704.03	3,899.28	4,092.83	4,279.12	
3/4	56.93	409.79	772.21	1,134.23	1,497.03	1,861.96	2,226.88	2,591.80	2,956.73	3,310.28	3,512.85	3,708.09	3,903.34	4,096.79	4,282.90	
2	62.41	417.34	779.76	1,141.76	1,504.63	1,869.56	2,234.48	2,599.41	2,964.33	3,316.09	3,516.91	3,712.16	3,907.41	4,100.75	4,286.69	
1/4	69.16	424.89	787.31	1,149.29	1,512.24	1,877.16	2,242.08	2,607.01	2,971.93	3,321.21	3,520.98	3,716.23	3,911.48	4,104.71	4,290.47	
1/2	76.90	432.44	794.86	1,156.82	1,519.84	1,884.76	2,249.69	2,614.61	2,979.54	3,326.32	3,525.05	3,720.30	3,915.55	4,108.66	4,294.26	
3/4	82.64	439.99	802.41	1,164.35	1,527.44	1,892.37	2,257.29	2,622.21	2,987.14	3,331.43	3,529.12	3,724.37	3,919.61	4,112.62	4,298.04	
3	89.39	447.55	809.96	1,171.88	1,535.04	1,899.97	2,264.89	2,629.82	2,994.74	3,336.54	3,533.18	3,728.43	3,923.68	4,116.58	4,301.83	
1/4	96.76	455.10	817.52	1,179.41	1,542.65	1,907.57	2,272.50	2,637.42	3,002.34	3,340.96	3,537.52	3,732.60	3,927.75	4,120.50	4,305.67	
1/2	104.13	462.65	825.07	1,186.94	1,550.25	1,915.17	2,280.10	2,645.02	3,009.95	3,345.37	3,541.32	3,736.57	3,931.82	4,124.41	4,309.31	
3/4	111.51	470.20	832.62	1,194.47	1,557.85	1,922.78	2,287.70	2,652.62	3,017.65	3,349.79	3,545.39	3,740.64	3,935.89	4,128.33	4,313.05	
4	118.88	477.75	840.17	1,202.00	1,565.45	1,930.38	2,295.30	2,660.23	3,025.15	3,354.21	3,549.45	3,744.70	3,939.95	4,132.24	4,316.79	
1/4	126.25	485.30	847.72	1,209.53	1,573.06	1,937.98	2,302.91	2,667.83	3,032.75	3,358.27	3,553.52	3,748.77	3,944.02	4,136.16	4,320.53	
1/2	133.62	492.85	855.27	1,217.05	1,580.66	1,945.58	2,310.51	2,675.43	3,040.36	3,362.34	3,557.59	3,752.84	3,948.09	4,140.07	4,324.28	
3/4	141.00	500.40	862.82	1,224.58	1,588.26	1,953.19	2,318.11	2,683.03	3,047.96	3,366.41	3,561.66	3,756.91	3,952.16	4,143.99	4,328.02	
5	148.37	507.95	870.37	1,232.11	1,595.87	1,960.79	2,325.71	2,690.64	3,055.56	3,370.48	3,565.73	3,760.97	3,956.22	4,147.90	4,331.76	
1/4	155.74	515.50	877.92	1,239.64	1,603.47	1,968.39	2,333.32	2,698.24	3,063.16	3,374.54	3,569.79	3,765.04	3,960.29	4,151.82	4,335.50	
1/2	163.12	523.05	885.47	1,247.17	1,611.07	1,975.99	2,340.92	2,705.84	3,070.77	3,378.61	3,573.86	3,769.11	3,964.36	4,155.74	4,339.24	
3/4	170.49	530.60	893.02	1,254.70	1,618.67	1,983.60	2,348.52	2,713.44	3,078.37	3,382.68	3,577.93	3,773.18	3,968.43	4,159.65	4,342.98	
6	177.86	538.15	900.57	1,262.23	1,626.28	1,991.20	2,356.12	2,721.05	3,085.97	3,386.75	3,582.00	3,777.25	3,972.49	4,163.57	4,346.73	
1/4	185.23	545.70	908.12	1,269.76	1,633.88	1,998.80	2,363.73	2,728.65	3,093.57	3,390.82	3,586.06	3,781.31	3,976.54	4,167.47	4,350.45	
1/2	192.61	553.25	915.67	1,277.29	1,641.48	2,006.40	2,371.33	2,736.25	3,101.18	3,394.88	3,590.13	3,785.38	3,980.59	4,171.38	4,354.18	
3/4	199.98	560.80	923.22	1,284.82	1,649.08	2,014.01	2,378.93	2,743.86	3,108.78	3,398.95	3,594.20	3,789.45	3,984.63	4,175.29	4,357.91	
7	207.35	568.35	930.77	1,292.35	1,656.69	2,021.61	2,386.53	2,751.46	3,116.38	3,403.02	3,598.27	3,793.52	3,988.68	4,179.20	4,361.64	
1/4	214.73	575.90	938.32	1,299.88	1,664.29	2,029.21	2,394.14	2,759.06	3,123.98	3,407.09	3,602.33	3,797.68	3,992.72	4,183.11	4,365.69	
1/2	222.10	583.45	945.87	1,307.41	1,671.89	2,036.81	2,401.74	2,766.66	3,131.69	3,411.15	3,606.40	3,801.65	3,996.77	4,187.01	4,369.74	
3/4	229.47	591.00	953.42	1,314.94	1,679.49	2,044.42	2,409.34	2,774.27	3,139.19	3,415.22	3,610.47	3,805.72	4,000.81	4,190.92	4,370.79	
8	236.84	598.55	960.97	1,322.47	1,687.10	2,052.02	2,416.94	2,781.87	3,146.79	3,419.29	3,614.54	3,809.79	4,004.86	4,194.83	4,373.85	
1/4	244.22	606.10	968.52	1,329.99	1,694.70	2,059.62	2,424.55	2,789.47	3,154.39	3,423.36	3,618.61	3,813.85	4,008.91	4,198.74	4,376.22	
1/2	251.59	613.65	976.07	1,337.52	1,702.30	2,067.23	2,432.15	2,797.07	3,162.00	3,427.42	3,622.67	3,817.92	4,012.95	4,202.65	4,378.59	
3/4	258.96	621.20	983.62	1,345.05	1,709.80	2,074.83	2,439.75	2,804.68	3,169.60	3,431.49	3,626.74	3,821.99	4,017.00	4,206.56	4,380.96	
9	266.34	628.75	991.17	1,352.58	1,717.51	2,082.43	2,447.35	2,812.28	3,177.20	3,435.56	3,630.81	3,826.06	4,021.04	4,210.46	4,383.33	
1/4	273.89	636.31	998.70	1,360.19	1,725.11	2,090.03	2,454.96	2,819.88	3,184.80	3,439.63	3,634.88	3,830.13	4,025.04	4,214.29	4,385.03	
1/2	281.44	643.86	1,006.23	1,367.79	1,732.71	2,097.64	2,462.56	2,827.48	3,192.41	3,443.70	3,638.94	3,834.19	4,029.05	4,218.12	4,386.72	
3/4	288.99	651.41	1,013.76	1,375.39	1,740.31	2,105.24	2,470.16	2,835.09	3,200.01	3,447.76	3,643.01	3,838.28	4,033.05	4,221.95	4,388.42	
10	296.54	658.96	1,021.29	1,382.99	1,747.92	2,112.84	2,477.76	2,842.69	3,207.61	3,451.83	3,647.08	3,842.33	4,037.05	4,225.78	4,390.11	
1/4	304.09	666.51	1,028.82	1,390.60	1,755.52	2,120.44	2,485.37	2,850.29	3,215.22	3,455.90	3,651.15	3,846.40	4,041.05	4,229.61	4,391.13	
1/2	311.64	674.06	1,036.35	1,398.20	1,763.12	2,128.05	2,492.97	2,857.89	3,222.82	3,459.97	3,655.21	3,850.46	4,045.06	4,233.44	4,392.15	
3/4	319.19	681.61	1,043.88	1,405.80	1,770.72	2,135.65	2,500.57	2,865.60	3,230.42	3,464.03	3,659.28	3,854.53	4,049.06	4,237.27	4,393.16	
11	326.74	689.16	1,051.41	1,413.40	1,778.33	2,143.25	2,508.18	2,873.10	3,238.02	3,468.10	3,663.35	3,858.60	4,053.06	4,241.09	4,394.18	
1/4	334.29	696.71	1,058.94	1,421.01	1,785.93	2,150.85	2,515.78	2,880.70	3,245.23	3,472.17	3,667.42	3,862.67	4,057.06	4,244.92	4,394.52	
1/2	341.84	704.26	1,066.47	1,428.61	1,793.53	2,158.46	2,523.38	2,888.30	3,252.43	3,476.24	3,671.49	3,866.73	4,061.07	4,248.75	4,394.86	
3/4	349.39	711.81	1,074.00	1,436.21	1,801.13	2,166.06	2,530.98	2,895.91	3,259.63	3,480.30	3,676.65	3,870.80	4,065.07	4,252.58	4,395.20	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 16'-4 1/4" (TO RIM OF 2" DIA. BALL VALVE
LOCATED NEAR CENTER OF TANK)

STRAPPED: 06/16/2016 JS MR
CALCULATED: 07/05/2016 BF
ISSUED: 07/06/2016

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

[Signature]
INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "GONSOULIN - 549" LE BEOUF BROTHERS

OUTAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.	
0		0	5,123.76	0	4,785.77	0	4,432.82	0	4,073.07	0	3,713.63	0	3,353.98	0	2,994.43	0	2,634.88	0	2,275.33	0	1,915.78	0	1,556.23	0	1,197.40	0	839.27	0	480.54	0	125.16
1/4		1/4	5,116.88	1/4	4,778.57	1/4	4,426.13	1/4	4,066.58	1/4	3,706.04	1/4	3,346.49	1/4	2,986.94	1/4	2,627.39	1/4	2,267.84	1/4	1,908.29	1/4	1,548.74	1/4	1,189.95	1/4	831.80	1/4	473.06	1/4	117.85
1/2		1/2	5,110.00	1/2	4,771.38	1/2	4,417.64	1/2	4,058.09	1/2	3,698.55	1/2	3,339.00	1/2	2,979.45	1/2	2,619.90	1/2	2,260.35	1/2	1,900.80	1/2	1,541.25	1/2	1,182.50	1/2	824.33	1/2	465.59	1/2	110.55
3/4		3/4	5,103.13	3/4	4,764.19	3/4	4,410.15	3/4	4,050.60	3/4	3,691.05	3/4	3,331.51	3/4	2,971.96	3/4	2,612.41	3/4	2,252.86	3/4	1,893.31	3/4	1,533.76	3/4	1,175.05	3/4	816.85	3/4	458.12	3/4	103.26
1		1	5,096.25	1	4,756.99	1	4,402.66	1	4,043.11	1	3,683.56	1	3,324.02	1	2,964.47	1	2,604.92	1	2,245.37	1	1,885.82	1	1,526.27	1	1,167.59	1	809.38	1	450.64	1	95.96
1/4		1/4	5,089.38	1/4	4,749.80	1/4	4,395.17	1/4	4,035.62	1/4	3,676.07	1/4	3,316.52	1/4	2,956.98	1/4	2,597.43	1/4	2,237.88	1/4	1,878.33	1/4	1,518.78	1/4	1,160.14	1/4	801.91	1/4	443.17	1/4	88.66
1/2		1/2	5,082.42	1/2	4,742.52	1/2	4,387.68	1/2	4,028.13	1/2	3,668.58	1/2	3,309.03	1/2	2,949.49	1/2	2,589.94	1/2	2,230.39	1/2	1,870.84	1/2	1,511.29	1/2	1,152.69	1/2	794.43	1/2	435.70	1/2	81.99
3/4		3/4	5,075.47	3/4	4,735.25	3/4	4,380.19	3/4	4,020.64	3/4	3,661.09	3/4	3,301.54	3/4	2,941.99	3/4	2,582.45	3/4	2,222.90	3/4	1,863.35	3/4	1,503.80	3/4	1,145.24	3/4	786.96	3/4	428.22	3/4	75.31
2		2	5,068.51	2	4,727.98	2	4,372.70	2	4,013.16	2	3,653.60	2	3,294.05	2	2,934.50	2	2,574.96	2	2,215.41	2	1,855.86	2	1,496.31	2	1,137.78	2	779.48	2	420.75	2	68.64
1/4		1/4	5,061.66	1/4	4,720.70	1/4	4,365.21	1/4	4,005.66	1/4	3,646.11	1/4	3,286.56	1/4	2,927.01	1/4	2,567.47	1/4	2,207.92	1/4	1,848.37	1/4	1,488.82	1/4	1,130.33	1/4	772.01	1/4	413.27	1/4	61.96
1/2		1/2	5,054.60	1/2	4,713.43	1/2	4,357.72	1/2	3,998.17	1/2	3,638.62	1/2	3,279.07	1/2	2,919.52	1/2	2,560.00	1/2	2,200.43	1/2	1,840.88	1/2	1,481.33	1/2	1,122.88	1/2	764.54	1/2	405.80	1/2	66.53
3/4		3/4	5,047.65	3/4	4,706.16	3/4	4,350.23	3/4	3,990.68	3/4	3,631.13	3/4	3,271.58	3/4	2,912.03	3/4	2,552.48	3/4	2,192.94	3/4	1,833.39	3/4	1,473.84	3/4	1,115.42	3/4	757.06	3/4	398.33	3/4	51.10
3		3	5,040.69	3	4,698.88	3	4,342.74	3	3,983.19	3	3,623.64	3	3,264.09	3	2,904.54	3	2,544.99	3	2,185.44	3	1,825.90	3	1,466.35	3	1,107.97	3	749.59	3	390.85	3	45.67
1/4		1/4	5,033.74	1/4	4,691.61	1/4	4,335.25	1/4	3,975.70	1/4	3,616.15	1/4	3,256.60	1/4	2,897.05	1/4	2,537.50	1/4	2,177.95	1/4	1,818.41	1/4	1,458.86	1/4	1,100.52	1/4	742.12	1/4	383.38	1/4	40.26
1/2		1/2	5,026.78	1/2	4,684.34	1/2	4,327.76	1/2	3,968.21	1/2	3,608.66	1/2	3,249.11	1/2	2,889.56	1/2	2,530.01	1/2	2,170.46	1/2	1,810.91	1/2	1,451.37	1/2	1,093.07	1/2	734.64	1/2	375.91	1/2	35.89
3/4		3/4	5,019.83	3/4	4,677.06	3/4	4,320.26	3/4	3,960.72	3/4	3,601.17	3/4	3,241.62	3/4	2,882.07	3/4	2,522.52	3/4	2,162.97	3/4	1,803.42	3/4	1,443.88	3/4	1,085.61	3/4	727.17	3/4	368.43	3/4	31.63
4		4	5,012.87	4	4,669.79	4	4,312.77	4	3,953.23	4	3,593.68	4	3,234.13	4	2,874.58	4	2,515.03	4	2,155.48	4	1,795.93	4	1,436.38	4	1,078.16	4	719.70	4	360.96	4	27.17
1/4	5,261.66	1/4	5,005.92	1/4	4,662.52	1/4	4,305.28	1/4	3,945.73	1/4	3,586.19	1/4	3,226.64	1/4	2,867.09	1/4	2,507.54	1/4	2,147.99	1/4	1,788.44	1/4	1,428.89	1/4	1,070.71	1/4	712.22	1/4	353.49	1/4	22.81
1/2	5,260.94	1/2	4,998.88	1/2	4,655.16	1/2	4,297.79	1/2	3,938.24	1/2	3,578.70	1/2	3,219.15	1/2	2,859.60	1/2	2,500.05	1/2	2,140.50	1/2	1,780.95	1/2	1,421.40	1/2	1,063.25	1/2	704.75	1/2	346.01		
3/4	5,260.32	3/4	4,991.95	3/4	4,647.81	3/4	4,290.30	3/4	3,930.75	3/4	3,571.20	3/4	3,211.65	3/4	2,852.11	3/4	2,492.56	3/4	2,133.01	3/4	1,773.46	3/4	1,413.91	3/4	1,055.80	3/4	697.27	3/4	338.64		
5	5,259.69	5	4,984.81	5	4,640.45	5	4,282.81	5	3,923.26	5	3,563.71	5	3,204.17	5	2,844.62	5	2,485.07	5	2,125.52	5	1,765.97	5	1,406.42	5	1,048.35	5	689.80	5	331.06		
1/4	5,259.07	1/4	4,977.78	1/4	4,633.10	1/4	4,275.32	1/4	3,915.77	1/4	3,556.22	1/4	3,196.68	1/4	2,837.13	1/4	2,477.58	1/4	2,118.03	1/4	1,758.48	1/4	1,398.93	1/4	1,040.90	1/4	682.33	1/4	323.69		
1/2	5,257.20	1/2	4,970.74	1/2	4,625.74	1/2	4,267.83	1/2	3,908.28	1/2	3,548.73	1/2	3,189.18	1/2	2,829.64	1/2	2,470.09	1/2	2,110.54	1/2	1,750.99	1/2	1,391.44	1/2	1,033.44	1/2	674.85	1/2	316.12		
3/4	5,255.34	3/4	4,963.71	3/4	4,618.39	3/4	4,260.34	3/4	3,900.79	3/4	3,541.24	3/4	3,181.69	3/4	2,822.15	3/4	2,462.60	3/4	2,103.05	3/4	1,743.50	3/4	1,383.95	3/4	1,025.99	3/4	667.38	3/4	308.64		
6	5,253.47	6	4,958.67	6	4,611.04	6	4,252.85	6	3,893.30	6	3,533.75	6	3,174.20	6	2,814.65	6	2,455.11	6	2,095.56	6	1,736.01	6	1,376.46	6	1,018.54	6	659.91	6	301.17		
1/4	5,251.60	1/4	4,949.64	1/4	4,603.68	1/4	4,245.36	1/4	3,885.81	1/4	3,526.26	1/4	3,166.71	1/4	2,807.16	1/4	2,447.62	1/4	2,088.07	1/4	1,728.52	1/4	1,368.97	1/4	1,011.09	1/4	652.43	1/4	293.70		
1/2	5,248.49	1/2	4,942.60	1/2	4,596.33	1/2	4,237.87	1/2	3,878.32	1/2	3,519.77	1/2	3,159.22	1/2	2,799.67	1/2	2,440.12	1/2	2,080.58	1/2	1,720.03	1/2	1,361.48	1/2	1,003.63	1/2	644.96	1/2	286.22		
3/4	5,245.37	3/4	4,935.67	3/4	4,588.97	3/4	4,230.38	3/4	3,870.83	3/4	3,511.28	3/4	3,151.73	3/4	2,792.18	3/4	2,432.63	3/4	2,073.09	3/4	1,713.54	3/4	1,353.99	3/4	995.18	3/4	637.48	3/4	278.75		
7	5,242.26	7	4,928.53	7	4,611.62	7	4,222.89	7	3,863.34	7	3,503.79	7	3,144.24	7	2,784.69	7	2,425.14	7	2,065.60	7	1,706.05	7	1,346.60	7	988.73	7	630.01	7	271.27		
1/4	5,239.15	1/4	4,921.60	1/4	4,604.26	1/4	4,216.40	1/4	3,855.85	1/4	3,496.30	1/4	3,136.75	1/4	2,777.20	1/4	2,417.65	1/4	2,056.10	1/4	1,696.56	1/4	1,339.01	1/4	981.27	1/4	622.54	1/4	263.80		
1/2	5,234.79	1/2	4,914.38	1/2	4,596.83	1/2	4,207.91	1/2	3,848.36	1/2	3,488.81	1/2	3,129.26	1/2	2,769.71	1/2	2,410.16	1/2	2,050.61	1/2	1,691.07	1/2	1,331.55	1/2	973.80	1/2	615.06	1/2	258.50		
3/4	5,230.43	3/4	4,907.27	3/4	4,589.40	3/4	4,200.42	3/4	3,840.87	3/4	3,481.32	3/4	3,121.77	3/4	2,762.22	3/4	2,402.67	3/4	2,043.12	3/4	1,683.57	3/4	1,324.10	3/4	966.33	3/4	607.59	3/4	249.21		
8	5,226.07	8	4,900.16	8	4,551.96	8	4,192.92	8	3,833.38	8	3,473.83	8	3,114.28	8	2,754.73	8	2,395.18	8	2,035.63	8	1,676.08	8	1,316.65	8	958.85	8	600.12	8	241.91		
1/4	5,221.71	1/4	4,893.04	1/4	4,544.63	1/4	4,185.43	1/4	3,825.89	1/4	3,466.34	1/4	3,106.79	1/4	2,747.24	1/4	2,387.69	1/4	2,028.14	1/4	1,668.59	1/4	1,309.20	1/4	951.38	1/4	592.64	1/4	234.61		
1/2	5,216.10	1/2	4,885.93	1/2	4,537.09	1/2	4,177.94	1/2	3,818.39	1/2	3,458.85	1/2	3,099.30	1/2	2,739.75	1/2	2,380.20	1/2	2,020.65	1/2	1,661.10	1/2	1,301.74	1/2	943.91	1/2	585.17	1/2	227.31		
3/4	5,210.60	3/4	4,878.81	3/4	4,529.66	3/4	4,170.45	3/4	3,810.90	3/4	3,451.36	3/4	3,091.81	3/4	2,732.26	3/4	2,372.71	3/4	2,013.16	3/4	1,653.61	3/4	1,294.29	3/4	936.43	3/4	577.70	3/4	220.02		
9	5,204.89	9	4,871.70	9	4,522.23	9	4,162.96	9	3,803.41	9	3,443.86	9	3,084.32	9	2,724.77	9	2,365.22	9	2,005.67	9	1,646.12	9	1,286.84	9							



INSPECTORATE

BARGE "GONSOULIN - 549"

LE BEOUF BROTHERS

OUTAGE TABLE

3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.
0	0	4,320.63	0	4,136.16	0	3,944.02	0	3,748.77	0	3,553.52	0	3,358.27	0	3,163.02	0	2,967.77
1/4	1/4	4,316.79	1/4	4,132.24	1/4	3,939.96	1/4	3,744.70	1/4	3,549.45	1/4	3,354.21	1/4	3,158.96	1/4	2,963.71
1/2	1/2	4,313.06	1/2	4,128.33	1/2	3,935.89	1/2	3,740.64	1/2	3,545.39	1/2	3,349.79	1/2	3,154.54	1/2	2,959.29
3/4	3/4	4,309.31	3/4	4,124.41	3/4	3,931.82	3/4	3,736.57	3/4	3,541.32	3/4	3,345.37	3/4	3,149.62	3/4	2,954.04
1	1	4,305.57	1	4,120.50	1	3,927.76	1	3,732.50	1	3,537.25	1	3,340.96	1	3,145.71	1	2,950.46
1/4	1/4	4,301.83	1/4	4,116.58	1/4	3,923.68	1/4	3,728.43	1/4	3,533.18	1/4	3,336.54	1/4	3,141.46	1/4	2,946.21
1/2	1/2	4,298.04	1/2	4,112.62	1/2	3,919.61	1/2	3,724.37	1/2	3,529.12	1/2	3,331.43	1/2	3,137.18	1/2	2,941.96
3/4	3/4	4,294.26	3/4	4,108.66	3/4	3,915.65	3/4	3,720.30	3/4	3,525.05	3/4	3,326.32	3/4	3,132.92	3/4	2,937.69
2	2	4,290.47	2	4,104.71	2	3,911.48	2	3,716.23	2	3,520.98	2	3,321.21	2	3,128.67	2	2,933.44
1/4	1/4	4,286.69	1/4	4,100.76	1/4	3,907.41	1/4	3,712.16	1/4	3,516.91	1/4	3,316.09	1/4	3,124.51	1/4	2,929.19
1/2	1/2	4,282.90	1/2	4,096.79	1/2	3,903.34	1/2	3,708.09	1/2	3,512.85	1/2	3,310.28	1/2	3,120.32	1/2	2,924.94
3/4	3/4	4,279.12	3/4	4,092.83	3/4	3,899.28	3/4	3,704.03	3/4	3,508.78	3/4	3,304.47	3/4	3,116.06	3/4	2,920.69
3	3	4,275.33	3	4,088.87	3	3,895.21	3	3,699.96	3	3,504.71	3	3,298.67	3	3,111.81	3	2,916.44
1/4	1/4	4,271.55	1/4	4,084.91	1/4	3,891.14	1/4	3,695.89	1/4	3,500.64	1/4	3,293.92	1/4	3,107.56	1/4	2,912.19
1/2	1/2	4,267.76	1/2	4,080.95	1/2	3,887.07	1/2	3,691.82	1/2	3,496.68	1/2	3,286.35	1/2	3,103.30	1/2	2,907.94
3/4	3/4	4,263.98	3/4	4,076.99	3/4	3,883.01	3/4	3,687.76	3/4	3,492.51	3/4	3,279.84	3/4	3,100.04	3/4	2,903.69
4	4	4,260.19	4	4,073.03	4	3,878.94	4	3,683.69	4	3,488.44	4	3,273.34	4	3,095.79	4	2,899.44
1/4	1/4	4,395.54	1/4	4,256.41	1/4	4,069.07	1/4	3,874.87	1/4	3,679.62	1/4	3,484.37	1/4	3,266.83	1/4	3,063.04
1/2	1/2	4,395.20	1/2	4,252.68	1/2	4,065.07	1/2	3,870.80	1/2	3,675.55	1/2	3,480.30	1/2	3,261.58	1/2	3,058.79
3/4	3/4	4,394.86	3/4	4,248.75	3/4	4,061.07	3/4	3,866.73	3/4	3,671.49	3/4	3,476.24	3/4	3,257.32	3/4	3,054.54
5	5	4,394.52	5	4,244.92	5	4,057.06	5	3,862.67	5	3,472.17	5	3,245.23	5	3,048.29	5	2,849.29
1/4	1/4	4,394.18	1/4	4,241.09	1/4	4,053.06	1/4	3,858.60	1/4	3,468.10	1/4	3,238.02	1/4	3,043.78	1/4	2,844.77
1/2	1/2	4,393.16	1/2	4,237.27	1/2	4,049.08	1/2	3,854.53	1/2	3,464.03	1/2	3,230.42	1/2	3,039.27	1/2	2,840.26
3/4	3/4	4,392.15	3/4	4,233.44	3/4	4,045.08	3/4	3,850.46	3/4	3,459.97	3/4	3,222.82	3/4	3,034.71	3/4	2,835.71
6	6	4,391.13	6	4,229.61	6	4,041.05	6	3,846.40	6	3,455.90	6	3,215.22	6	3,029.24	6	2,831.20
1/4	1/4	4,390.11	1/4	4,225.78	1/4	4,037.05	1/4	3,842.33	1/4	3,451.83	1/4	3,207.61	1/4	3,024.73	1/4	2,826.69
1/2	1/2	4,388.42	1/2	4,221.95	1/2	4,033.05	1/2	3,838.26	1/2	3,447.76	1/2	3,200.01	1/2	3,020.25	1/2	2,822.17
3/4	3/4	4,386.72	3/4	4,218.12	3/4	4,029.05	3/4	3,834.19	3/4	3,443.70	3/4	3,192.41	3/4	3,015.71	3/4	2,817.64
7	7	4,386.03	7	4,214.29	7	4,025.04	7	3,830.13	7	3,439.63	7	3,184.80	7	3,011.21	7	2,813.12
1/4	1/4	4,383.33	1/4	4,210.46	1/4	4,021.04	1/4	3,826.06	1/4	3,435.56	1/4	3,177.20	1/4	3,006.71	1/4	2,808.60
1/2	1/2	4,380.96	1/2	4,206.56	1/2	4,017.00	1/2	3,821.99	1/2	3,431.49	1/2	3,169.60	1/2	3,002.21	1/2	2,804.09
3/4	3/4	4,378.59	3/4	4,202.65	3/4	4,012.95	3/4	3,817.92	3/4	3,427.42	3/4	3,162.00	3/4	2,997.71	3/4	2,800.00
8	8	4,376.22	8	4,198.74	8	4,008.90	8	3,813.85	8	3,423.36	8	3,154.39	8	2,988.24	8	2,795.53
1/4	1/4	4,373.85	1/4	4,194.83	1/4	4,004.86	1/4	3,809.79	1/4	3,418.54	1/4	3,146.79	1/4	2,983.77	1/4	2,791.02
1/2	1/2	4,370.79	1/2	4,190.92	1/2	4,000.81	1/2	3,805.72	1/2	3,415.22	1/2	3,139.19	1/2	2,979.30	1/2	2,786.51
3/4	3/4	4,367.74	3/4	4,187.01	3/4	3,996.77	3/4	3,801.66	3/4	3,411.15	3/4	3,131.59	3/4	2,974.81	3/4	2,782.02
9	9	4,364.69	9	4,183.11	9	3,992.72	9	3,797.58	9	3,407.09	9	3,123.98	9	2,970.30	9	2,777.51
1/4	1/4	4,361.64	1/4	4,179.20	1/4	3,988.68	1/4	3,793.52	1/4	3,403.02	1/4	3,116.38	1/4	2,965.79	1/4	2,773.00
1/2	1/2	4,357.91	1/2	4,175.29	1/2	3,984.63	1/2	3,789.45	1/2	3,398.95	1/2	3,108.78	1/2	2,961.27	1/2	2,768.49
3/4	3/4	4,354.18	3/4	4,171.38	3/4	3,980.59	3/4	3,785.38	3/4	3,394.88	3/4	3,101.18	3/4	2,956.75	3/4	2,763.98
10	10	4,350.45	10	4,167.47	10	3,976.54	10	3,781.31	10	3,390.82	10	3,093.57	10	2,952.24	10	2,759.47
1/4	1/4	4,346.73	1/4	4,163.67	1/4	3,972.49	1/4	3,777.25	1/4	3,386.76	1/4	3,085.97	1/4	2,947.71	1/4	2,754.96
1/2	1/2	4,342.98	1/2	4,159.65	1/2	3,968.43	1/2	3,773.18	1/2	3,382.68	1/2	3,078.37	1/2	2,943.20	1/2	2,750.45
3/4	3/4	4,339.24	3/4	4,155.74	3/4	3,964.36	3/4	3,769.11	3/4	3,378.61	3/4	3,070.77	3/4	2,938.63	3/4	2,745.94
11	11	4,335.50	11	4,151.82	11	3,960.29	11	3,765.04	11	3,374.54	11	3,063.16	11	2,934.06	11	2,741.43
1/4	1/4	4,331.76	1/4	4,147.90	1/4	3,956.22	1/4	3,760.97	1/4	3,370.48	1/4	3,055.56	1/4	2,929.49	1/4	2,736.92
1/2	1/2	4,328.02	1/2	4,143.99	1/2	3,952.16	1/2	3,756.91	1/2	3,366.41	1/2	3,047.96	1/2	2,924.92	1/2	2,732.41
3/4	3/4	4,324.28	3/4	4,140.07	3/4	3,948.09	3/4	3,752.84	3/4	3,362.34	3/4	3,040.36	3/4	2,920.35	3/4	2,727.90

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 16'-4 1/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 06/16/2016 JS MR
CALCULATED : 07/05/2016 BF
ISSUED : 07/05/2016

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION