

BARGE "GONSULIN - 550" LE BEOUF BROTHERS

INNAGE TABLE

1 PORT OR STAR



INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for gauge height (0 FT. to 15 FT.) and rows for capacity (0 to 92.75). Each cell contains capacity values and fractional adjustments (e.g., 1/4, 1/2, 3/4).

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 05/19/2017 JS JC
RECALCULATED: 10/23/2017 BF
REISSUED: 10/23/2017

* CAPACITY BELOW STRIKE POINT.

PORT REFERENCE GAUGE HEIGHT: 17'-4 3/4" (TO RIM OF 10" HATCH LOCATED ON EXPANSION TRUNK)

STAR REFERENCE GAUGE HEIGHT: 17'-5 1/4" (TO RIM OF 10" HATCH LOCATED ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation signature and name



INSPECTORATE

BARGE "GONSOU LIN - 550"
LE BEOUF BROTHERS

INNAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (0 FT. to 15 FT.) and rows for depth (0 to 11). Each cell contains capacity values with fractional increments (1/4, 1/2, 3/4) indicating measurement points. The table is a grid of 22 columns and 12 rows of data.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT.

PORT REFERENCE GAUGE HEIGHT : 17'-4 3/4" (TO RIM OF 10" HATCH
LOCATED ON EXPANSION TRUNK)

STAR REFERENCE GAUGE HEIGHT : 17'-4 1/2" (TO RIM OF 10" HATCH
LOCATED ON EXPANSION TRUNK)

STRAPPED: 05/19/2017 JS JC
RECALCULATED : 10/23/2017 BF
REISSUED : 10/23/2017

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.


INSPECTORATE AMERICA CORPORATION

BARGE "GONSOLIN - 550"
LE BEOUF BROTHERS

INNAGE TABLE

3 PORT OR STAR



INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (0 FT. to 15 FT.) and rows for various measurement points (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11). Each cell contains capacity values in barrels.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 05/19/2017 JS JC
RECALCULATED : 11/03/2017
REISSUED : 11/03/2017

* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 17' 4 3/4" (TO RIM OF 10" HATCH
LOCATED ON EXPANSION HATCH)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA-CORPORATION



INSPECTORATE

BARGE "GONSOULIN - 550" LE BEOUF BROTHERS

OUTGAUGE TABLE

1 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

	2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.	
IN	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
0	0	4,783.28	0	4,442.19	0	4,085.68	0	3,722.67	0	3,359.65	0	2,996.64	0	2,633.62	0	2,270.60	0	1,907.59	0	1,544.57	0	1,181.55	0	818.54	0	465.15	0	172.73	0	23.55		
1/4	1/4	4,776.36	1/4	4,434.94	1/4	4,078.12	1/4	3,715.10	1/4	3,352.09	1/4	2,989.07	1/4	2,626.06	1/4	2,263.04	1/4	1,900.02	1/4	1,537.01	1/4	1,173.99	1/4	810.98	1/4	457.90	1/4	168.06	1/4	21.89		
1/2	1/2	4,769.44	1/2	4,427.70	1/2	4,070.56	1/2	3,707.54	1/2	3,344.53	1/2	2,981.51	1/2	2,618.49	1/2	2,255.48	1/2	1,892.46	1/2	1,529.44	1/2	1,166.43	1/2	803.41	1/2	450.65	1/2	163.38	1/2	20.22		
3/4	3/4	4,762.51	3/4	4,420.45	3/4	4,062.99	3/4	3,699.98	3/4	3,336.96	3/4	2,973.95	3/4	2,610.93	3/4	2,247.91	3/4	1,884.90	3/4	1,521.88	3/4	1,158.87	3/4	795.85	3/4	443.40	3/4	158.70	3/4	18.56		
1	1	4,755.51	1	4,413.12	1	4,055.43	1	3,692.42	1	3,329.40	1	2,966.38	1	2,603.37	1	2,240.35	1	1,877.34	1	1,514.32	1	1,151.30	1	788.41	1	436.22	1	154.53	1	17.30		
1/4	1/4	4,748.50	1/4	4,405.79	1/4	4,047.87	1/4	3,684.85	1/4	3,321.84	1/4	2,958.82	1/4	2,595.80	1/4	2,232.79	1/4	1,869.77	1/4	1,506.76	1/4	1,143.74	1/4	780.98	1/4	429.03	1/4	150.35	1/4	16.05		
1/2	1/2	4,741.50	1/2	4,398.47	1/2	4,040.31	1/2	3,677.29	1/2	3,314.27	1/2	2,951.26	1/2	2,588.24	1/2	2,225.23	1/2	1,862.21	1/2	1,499.19	1/2	1,136.18	1/2	773.54	1/2	421.84	1/2	146.18	1/2	14.79		
3/4	3/4	4,734.49	3/4	4,391.14	3/4	4,032.74	3/4	3,669.73	3/4	3,306.71	3/4	2,943.70	3/4	2,580.68	3/4	2,217.66	3/4	1,854.65	3/4	1,491.63	3/4	1,128.61	3/4	766.10	3/4	414.66	3/4	142.00	3/4	13.54		
2	2	4,727.49	2	4,383.81	2	4,025.18	2	3,662.16	2	3,299.15	2	2,936.13	2	2,573.12	2	2,210.10	2	1,847.08	2	1,484.07	2	1,121.05	2	758.66	2	407.47	2	137.83	2	12.28		
1/4	1/4	4,720.48	1/4	4,376.48	1/4	4,017.62	1/4	3,654.60	1/4	3,291.59	1/4	2,928.57	1/4	2,565.55	1/4	2,202.54	1/4	1,839.52	1/4	1,476.51	1/4	1,113.49	1/4	751.23	1/4	400.29	1/4	133.65	1/4	11.03		
1/2	1/2	4,713.48	1/2	4,369.16	1/2	4,010.06	1/2	3,647.04	1/2	3,284.02	1/2	2,921.01	1/2	2,557.99	1/2	2,194.97	1/2	1,831.96	1/2	1,468.94	1/2	1,105.93	1/2	743.79	1/2	393.10	1/2	129.48	1/2	9.77		
3/4	3/4	4,706.47	3/4	4,361.83	3/4	4,002.49	3/4	3,639.48	3/4	3,276.46	3/4	2,913.44	3/4	2,550.43	3/4	2,187.41	3/4	1,824.40	3/4	1,461.38	3/4	1,098.36	3/4	736.35	3/4	385.91	3/4	125.30	3/4	8.52		
3	3	4,699.47	3	4,354.50	3	3,994.93	3	3,631.91	3	3,268.90	3	2,905.88	3	2,542.86	3	2,179.85	3	1,816.83	3	1,453.82	3	1,090.80	3	728.92	3	379.23	3	121.63	3	7.77		
1/4	1/4	4,692.46	1/4	4,347.17	1/4	3,987.37	1/4	3,624.35	1/4	3,261.33	1/4	2,898.32	1/4	2,535.30	1/4	2,172.29	1/4	1,809.27	1/4	1,446.25	1/4	1,083.24	1/4	721.48	1/4	372.55	1/4	117.96	1/4	7.01		
1/2	1/2	4,685.46	1/2	4,339.85	1/2	3,979.80	1/2	3,616.79	1/2	3,253.77	1/2	2,890.76	1/2	2,527.74	1/2	2,164.72	1/2	1,801.71	1/2	1,438.69	1/2	1,075.67	1/2	714.04	1/2	365.86	1/2	114.28	1/2	6.26		
3/4	3/4	4,935.96	3/4	4,678.45	3/4	4,332.52	3/4	3,972.24	3/4	3,609.22	3/4	3,246.21	3/4	2,883.19	3/4	2,520.18	3/4	2,157.16	3/4	1,794.14	3/4	1,431.13	3/4	1,068.11	3/4	706.60	3/4	359.18	3/4	110.61	3/4	5.51
4	4	4,935.33	4	4,671.37	4	4,325.11	4	3,964.68	4	3,601.66	4	3,238.65	4	2,875.63	4	2,512.61	4	2,149.60	4	1,786.58	4	1,423.57	4	1,060.55	4	699.17	4	352.49	4	106.94	4	4.75
1/4	1/4	4,934.70	1/4	4,664.28	1/4	4,317.70	1/4	3,957.12	1/4	3,594.10	1/4	3,231.08	1/4	2,868.07	1/4	2,505.05	1/4	2,142.03	1/4	1,779.02	1/4	1,416.00	1/4	1,052.99	1/4	691.73	1/4	345.81	1/4	103.27	1/4	4.00
1/2	1/2	4,934.08	1/2	4,657.19	1/2	4,310.29	1/2	3,949.55	1/2	3,586.54	1/2	3,223.52	1/2	2,860.50	1/2	2,497.49	1/2	2,134.47	1/2	1,771.46	1/2	1,408.44	1/2	1,045.42	1/2	684.29	1/2	339.13	1/2	99.60	1/2	3.25
3/4	3/4	4,933.45	3/4	4,650.11	3/4	4,302.89	3/4	3,941.99	3/4	3,578.97	3/4	3,215.96	3/4	2,852.94	3/4	2,489.93	3/4	2,126.91	3/4	1,763.89	3/4	1,400.88	3/4	1,037.86	3/4	676.86	3/4	332.44	3/4	95.92	3/4	2.49
5	5	4,931.57	5	4,643.02	5	4,295.48	5	3,934.43	5	3,571.41	5	3,208.39	5	2,845.38	5	2,482.36	5	2,119.35	5	1,756.33	5	1,393.31	5	1,030.30	5	669.42	5	326.26	5	92.75		
1/4	1/4	4,929.68	1/4	4,635.93	1/4	4,288.07	1/4	3,926.86	1/4	3,563.85	1/4	3,200.83	1/4	2,837.82	1/4	2,474.80	1/4	2,111.78	1/4	1,748.77	1/4	1,385.75	1/4	1,022.73	1/4	661.98	1/4	320.08	1/4	89.58		
1/2	1/2	4,927.80	1/2	4,628.85	1/2	4,280.66	1/2	3,919.30	1/2	3,556.28	1/2	3,193.27	1/2	2,830.25	1/2	2,467.24	1/2	2,104.22	1/2	1,741.20	1/2	1,378.19	1/2	1,015.17	1/2	654.54	1/2	313.89	1/2	86.41		
3/4	3/4	4,925.92	3/4	4,621.76	3/4	4,273.25	3/4	3,911.74	3/4	3,548.72	3/4	3,185.71	3/4	2,822.69	3/4	2,459.67	3/4	2,096.66	3/4	1,733.64	3/4	1,370.63	3/4	1,007.61	3/4	647.11	3/4	307.71	3/4	83.24		
6	6	4,922.78	6	4,614.68	6	4,265.85	6	3,904.18	6	3,541.16	6	3,178.14	6	2,815.13	6	2,452.11	6	2,089.09	6	1,726.08	6	1,363.06	6	1,000.05	6	639.67	6	301.53	6	80.07		
1/4	1/4	4,919.65	1/4	4,607.59	1/4	4,258.44	1/4	3,896.61	1/4	3,533.60	1/4	3,170.58	1/4	2,807.56	1/4	2,444.55	1/4	2,081.53	1/4	1,718.52	1/4	1,355.50	1/4	992.48	1/4	632.23	1/4	295.35	1/4	76.90		
1/2	1/2	4,916.51	1/2	4,600.50	1/2	4,251.03	1/2	3,889.05	1/2	3,526.03	1/2	3,163.02	1/2	2,800.00	1/2	2,436.99	1/2	2,073.97	1/2	1,710.95	1/2	1,347.94	1/2	984.92	1/2	624.79	1/2	289.16	1/2	73.73		
3/4	3/4	4,913.37	3/4	4,593.42	3/4	4,243.62	3/4	3,881.49	3/4	3,518.47	3/4	3,155.45	3/4	2,792.44	3/4	2,429.42	3/4	2,066.41	3/4	1,703.39	3/4	1,340.37	3/4	977.36	3/4	617.36	3/4	282.98	3/4	70.56		
7	7	4,908.98	7	4,586.25	7	4,236.13	7	3,873.92	7	3,510.91	7	3,147.89	7	2,784.88	7	2,421.86	7	2,058.84	7	1,695.83	7	1,332.81	7	969.80	7	610.11	7	277.30	7	67.89		
1/4	1/4	4,904.59	1/4	4,579.08	1/4	4,228.64	1/4	3,866.36	1/4	3,503.35	1/4	3,140.33	1/4	2,777.31	1/4	2,414.30	1/4	2,051.28	1/4	1,688.26	1/4	1,325.25	1/4	962.23	1/4	602.86	1/4	271.62	1/4	65.22		
1/2	1/2	4,900.19	1/2	4,571.92	1/2	4,221.15	1/2	3,858.80	1/2	3,495.78	1/2	3,132.77	1/2	2,769.75	1/2	2,406.73	1/2	2,043.72	1/2	1,680.70	1/2	1,317.69	1/2	954.67	1/2	595.61	1/2	265.94	1/2	62.55		
3/4	3/4	4,895.80	3/4	4,564.75	3/4	4,213.66	3/4	3,851.24	3/4	3,488.22	3/4	3,125.20	3/4	2,762.19	3/4	2,399.17	3/4	2,036.15	3/4	1,673.14	3/4	1,310.12	3/4	947.11	3/4	588.36	3/4	260.26	3/4	59.88		
8	8	4,890.15	8	4,557.58	8	4,206.18	8	3,843.67	8	3,480.66	8	3,117.64	8	2,754.62	8	2,391.61	8	2,028.59	8	1,665.58	8	1,302.56	8	939.54	8	581.12	8	254.58	8	57.21		
1/4	1/4	4,884.51	1/4	4,550.42	1/4	4,198.69	1/4	3,836.11	1/4	3,473.09	1/4	3,110.08	1/4	2,747.06	1/4	2,384.05	1/4	2,021.03	1/4	1,658.01	1/4	1,295.00	1/4	931.98	1/4	573.87	1/4	248.90	1/4	54.54		
1/2	1/2	4,878.86	1/2	4,543.25	1/2	4,191.20	1/2	3,828.55	1/2	3,465.53	1/2	3,102.51	1/2	2,739.50	1/2	2,376.48	1/2	2,013.47	1/2	1,650.45	1/2	1,287.43	1/2	924.42	1/2	566						



INSPECTORATE

BARGE "GONSOULIN - 550" LE BEOUF BROTHERS

OUTGAGE TABLE

1 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.			
N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I
0		0	4,797.13	0	4,456.69	0	4,100.81	0	3,737.79	0	3,374.78	0	3,011.76	0	2,648.74	0	2,285.73	0	1,922.71	0	1,559.70	0	1,196.68	0	833.66	0	479.64	0	182.08	0	26.88		
1/4		1/4	4,790.21	1/4	4,449.44	1/4	4,093.25	1/4	3,730.23	1/4	3,367.21	1/4	3,004.20	1/4	2,641.18	1/4	2,278.17	1/4	1,915.15	1/4	1,552.13	1/4	1,189.12	1/4	826.10	1/4	472.39	1/4	177.41	1/4	25.21		
1/2		1/2	4,783.28	1/2	4,442.19	1/2	4,085.68	1/2	3,722.67	1/2	3,359.65	1/2	2,996.64	1/2	2,633.62	1/2	2,270.60	1/2	1,907.59	1/2	1,544.57	1/2	1,181.55	1/2	818.54	1/2	465.15	1/2	172.73	1/2	23.55		
3/4		3/4	4,776.36	3/4	4,434.94	3/4	4,078.12	3/4	3,715.10	3/4	3,352.09	3/4	2,989.07	3/4	2,626.06	3/4	2,263.04	3/4	1,900.02	3/4	1,537.01	3/4	1,173.99	3/4	810.98	3/4	457.90	3/4	168.06	3/4	21.89		
1		1	4,769.44	1	4,427.70	1	4,070.56	1	3,707.54	1	3,344.53	1	2,981.51	1	2,618.49	1	2,255.48	1	1,892.46	1	1,529.44	1	1,166.43	1	803.41	1	450.65	1	163.38	1	20.22		
1/4		1/4	4,762.51	1/4	4,420.45	1/4	4,062.99	1/4	3,699.98	1/4	3,336.96	1/4	2,973.95	1/4	2,610.93	1/4	2,247.91	1/4	1,884.90	1/4	1,521.88	1/4	1,158.87	1/4	795.85	1/4	443.40	1/4	158.70	1/4	18.56		
1/2		1/2	4,755.51	1/2	4,413.12	1/2	4,055.43	1/2	3,692.42	1/2	3,329.40	1/2	2,966.38	1/2	2,603.37	1/2	2,240.35	1/2	1,877.34	1/2	1,514.32	1/2	1,151.30	1/2	788.41	1/2	436.22	1/2	154.53	1/2	17.30		
3/4		3/4	4,748.50	3/4	4,405.79	3/4	4,047.87	3/4	3,684.85	3/4	3,321.84	3/4	2,958.82	3/4	2,595.80	3/4	2,232.79	3/4	1,869.77	3/4	1,506.76	3/4	1,143.74	3/4	780.98	3/4	429.03	3/4	150.35	3/4	16.05		
2		2	4,741.50	2	4,398.47	2	4,040.31	2	3,677.29	2	3,314.27	2	2,951.26	2	2,588.24	2	2,225.23	2	1,862.21	2	1,499.19	2	1,136.18	2	773.54	2	421.84	2	146.18	2	14.79		
1/4		1/4	4,734.49	1/4	4,391.14	1/4	4,032.74	1/4	3,669.73	1/4	3,306.71	1/4	2,943.70	1/4	2,580.68	1/4	2,217.66	1/4	1,854.65	1/4	1,491.63	1/4	1,128.61	1/4	766.10	1/4	414.66	1/4	142.00	1/4	13.54		
1/2		1/2	4,727.49	1/2	4,383.81	1/2	4,025.18	1/2	3,662.16	1/2	3,299.15	1/2	2,936.13	1/2	2,573.12	1/2	2,210.10	1/2	1,847.08	1/2	1,484.07	1/2	1,121.05	1/2	758.66	1/2	407.47	1/2	137.83	1/2	12.28		
3/4		3/4	4,720.48	3/4	4,376.48	3/4	4,017.62	3/4	3,654.60	3/4	3,291.59	3/4	2,928.57	3/4	2,565.55	3/4	2,202.54	3/4	1,839.52	3/4	1,476.51	3/4	1,113.49	3/4	751.23	3/4	400.29	3/4	133.65	3/4	11.03		
3		3	4,713.48	3	4,369.16	3	4,010.06	3	3,647.04	3	3,284.02	3	2,921.01	3	2,557.99	3	2,194.97	3	1,831.96	3	1,468.94	3	1,105.93	3	743.79	3	393.10	3	129.48	3	9.77		
1/4		1/4	4,706.47	1/4	4,361.83	1/4	4,002.49	1/4	3,639.48	1/4	3,276.46	1/4	2,913.44	1/4	2,550.43	1/4	2,187.41	1/4	1,824.40	1/4	1,461.38	1/4	1,098.36	1/4	736.35	1/4	385.91	1/4	125.30	1/4	8.52		
1/2		1/2	4,699.47	1/2	4,354.50	1/2	3,994.93	1/2	3,631.91	1/2	3,268.90	1/2	2,905.88	1/2	2,542.86	1/2	2,179.85	1/2	1,816.83	1/2	1,453.82	1/2	1,090.80	1/2	728.92	1/2	379.23	1/2	121.63	1/2	7.77		
3/4		3/4	4,692.46	3/4	4,347.17	3/4	3,987.37	3/4	3,624.35	3/4	3,261.33	3/4	2,898.32	3/4	2,535.30	3/4	2,172.29	3/4	1,809.27	3/4	1,446.25	3/4	1,083.24	3/4	721.48	3/4	372.55	3/4	117.96	3/4	7.01		
4		4	4,685.46	4	4,339.85	4	3,979.80	4	3,616.79	4	3,253.77	4	2,890.76	4	2,527.74	4	2,164.72	4	1,801.71	4	1,438.69	4	1,075.67	4	714.04	4	365.86	4	114.28	4	6.26		
1/4		1/4	4,935.96	1/4	4,678.45	1/4	4,332.52	1/4	3,972.24	1/4	3,609.22	1/4	3,246.21	1/4	2,883.19	1/4	2,520.18	1/4	2,157.16	1/4	1,794.14	1/4	1,431.13	1/4	1,068.11	1/4	706.60	1/4	359.18	1/4	110.61	1/4	5.51
1/2		1/2	4,935.33	1/2	4,671.37	1/2	4,325.11	1/2	3,964.68	1/2	3,601.66	1/2	3,238.65	1/2	2,875.63	1/2	2,512.61	1/2	2,149.60	1/2	1,786.58	1/2	1,423.57	1/2	1,060.55	1/2	699.17	1/2	352.49	1/2	106.94	1/2	4.75
3/4		3/4	4,934.70	3/4	4,664.28	3/4	4,317.70	3/4	3,957.12	3/4	3,594.10	3/4	3,231.08	3/4	2,868.07	3/4	2,505.05	3/4	2,142.03	3/4	1,779.02	3/4	1,416.00	3/4	1,052.99	3/4	691.73	3/4	345.81	3/4	103.27	3/4	4.00
5		5	4,934.08	5	4,657.19	5	4,310.29	5	3,949.55	5	3,586.54	5	3,223.52	5	2,860.50	5	2,497.49	5	2,134.47	5	1,771.46	5	1,408.44	5	1,045.42	5	684.29	5	339.13	5	99.60	5	3.25
1/4		1/4	4,933.45	1/4	4,650.11	1/4	4,302.89	1/4	3,941.99	1/4	3,578.97	1/4	3,215.96	1/4	2,852.94	1/4	2,489.93	1/4	2,126.91	1/4	1,763.89	1/4	1,400.88	1/4	1,037.86	1/4	676.86	1/4	332.44	1/4	95.92	1/4	*
1/2		1/2	4,931.57	1/2	4,643.02	1/2	4,295.48	1/2	3,934.43	1/2	3,571.41	1/2	3,208.39	1/2	2,845.38	1/2	2,482.36	1/2	2,119.35	1/2	1,756.33	1/2	1,393.31	1/2	1,030.30	1/2	669.42	1/2	326.26	1/2	92.75		
3/4		3/4	4,929.68	3/4	4,635.93	3/4	4,288.07	3/4	3,926.86	3/4	3,563.85	3/4	3,200.83	3/4	2,837.82	3/4	2,474.80	3/4	2,111.78	3/4	1,748.77	3/4	1,385.75	3/4	1,022.73	3/4	661.98	3/4	320.08	3/4	89.58		
6		6	4,927.80	6	4,628.85	6	4,280.66	6	3,919.30	6	3,556.28	6	3,193.27	6	2,830.25	6	2,467.24	6	2,104.22	6	1,741.20	6	1,378.19	6	1,015.17	6	654.54	6	313.89	6	86.41		
1/4		1/4	4,925.92	1/4	4,621.76	1/4	4,273.25	1/4	3,911.74	1/4	3,548.72	1/4	3,185.71	1/4	2,822.69	1/4	2,459.67	1/4	2,100.65	1/4	1,733.64	1/4	1,007.61	1/4	647.11	1/4	307.71	1/4	83.24				
1/2		1/2	4,922.78	1/2	4,614.68	1/2	4,265.85	1/2	3,904.18	1/2	3,541.16	1/2	3,178.14	1/2	2,815.13	1/2	2,452.11	1/2	2,089.09	1/2	1,726.08	1/2	1,363.06	1/2	1,000.05	1/2	639.67	1/2	301.53	1/2	80.07		
3/4		3/4	4,919.65	3/4	4,607.59	3/4	4,258.44	3/4	3,896.61	3/4	3,533.60	3/4	3,170.58	3/4	2,807.56	3/4	2,444.55	3/4	2,081.53	3/4	1,718.52	3/4	1,355.50	3/4	992.48	3/4	632.23	3/4	295.35	3/4	76.90		
7		7	4,916.51	7	4,600.50	7	4,251.03	7	3,889.05	7	3,526.03	7	3,163.02	7	2,800.00	7	2,436.99	7	2,073.97	7	1,710.95	7	1,347.94	7	984.92	7	624.79	7	289.16	7	73.73		
1/4		1/4	4,913.37	1/4	4,593.42	1/4	4,243.62	1/4	3,881.49	1/4	3,518.47	1/4	3,155.45	1/4	2,792.44	1/4	2,429.42	1/4	2,066.41	1/4	1,703.39	1/4	1,340.37	1/4	977.36	1/4	617.36	1/4	282.98	1/4	70.56		
1/2		1/2	4,908.98	1/2	4,586.25	1/2	4,236.13	1/2	3,873.92	1/2	3,510.91	1/2	3,147.89	1/2	2,784.88	1/2	2,421.86	1/2	2,058.84	1/2	1,695.83	1/2	1,332.81	1/2	969.80	1/2	610.11	1/2	277.30	1/2	67.89		
3/4		3/4	4,904.59	3/4	4,579.08	3/4	4,228.64	3/4	3,866.36	3/4	3,503.35	3/4	3,140.33	3/4	2,777.31	3/4	2,414.30	3/4	2,051.28	3/4	1,688.26	3/4	1,325.25	3/4	962.23	3/4	602.86	3/4	271.62	3/4	65.22		
8		8	4,900.19	8	4,571.92	8	4,221.15	8	3,858.80	8	3,495.78	8	3,132.77	8	2,769.75	8	2,406.73	8	2,043.72	8	1,680.70	8	1,317.69	8	954.67	8	595.61	8	265.94	8	62.55		
1/4		1/4	4,895.80	1/4	4,564.75	1/4	4,213.66	1/4	3,851.24	1/4	3,488.22	1/4	3,125.20	1/4	2,762.19	1/4	2,399.17	1/4	2,036.15	1/4	1,673.14	1/4	1,310.12	1/4	947.11	1/4	588.36	1/4	260.26	1/4	59.88		
1/2		1/2	4,890.15	1/2	4,557.58	1/2	4,206.18	1/2	3,843.67	1/2	3,480.66	1/2	3,117.64	1/																			



INSPECTORATE

BARGE "GONSOULIN - 550" LE BEOUF BROTHERS

OUTGAUGE TABLE

2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for gauge height (2 FT. to 17 FT.) and rows for different levels (0 to 11). Each cell contains a numerical value representing capacity or measurement.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

REFERENCE GAUGE HEIGHT: 17'-4 3/4" (TO RIM OF 10" HATCH LOCATED ON EXPANSION TRUNK)

STRAPPED: 05/19/2017 JS JC
RECALCULATED: 10/23/2017 BF
REISSUED: 10/23/2017

* CAPACITY BELOW STRIKE POINT

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "GONSOULIN - 550"
LE BEOUF BROTHERS

OUTGAUGE TABLE

2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with 17 columns representing gauge positions (2 FT. to 17 FT.) and multiple rows for each position, showing numerical readings. Includes a note about capacities in barrels of 42 U.S. gallons.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 17'-4 1/2" (TO RIM OF 10" HATCH LOCATED ON EXPANSION TRUNK)

STRAPPED: 05/19/2017 JS JC
RECALCULATED: 10/23/2017 BF
REISSUED: 10/23/2017

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "GONSOULIN - 550" LE BEOUF BROTHERS

OUTAGE TABLE

3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.
0	0	3,991.60	3,808.16	3,616.58	3,422.73	3,228.85	2,984.40	2,623.14	2,261.87	1,900.61	1,539.29	1,178.00	817.75	458.83	183.07	32.29
1/4	1/4	3,987.87	3,804.25	3,612.54	3,418.69	3,224.81	2,976.88	2,615.61	2,254.35	1,893.08	1,531.76	1,170.49	810.26	451.71	179.24	31.02
1/2	1/2	3,984.15	3,800.33	3,608.51	3,414.65	3,220.77	2,969.35	2,608.09	2,246.82	1,885.56	1,524.24	1,163.00	802.77	444.64	174.76	29.13
3/4	3/4	3,980.42	3,796.41	3,604.47	3,410.61	3,216.73	2,961.82	2,600.56	2,239.29	1,878.03	1,516.71	1,155.51	795.28	437.62	170.34	27.29
1	1	3,976.69	3,792.49	3,600.43	3,406.57	3,212.69	2,954.30	2,593.03	2,231.77	1,870.50	1,509.18	1,148.02	787.79	430.66	165.96	25.50
1/4	1/4	3,972.95	3,788.56	3,596.39	3,402.53	3,208.65	2,946.77	2,585.51	2,224.24	1,862.98	1,501.65	1,140.53	780.30	423.76	161.64	23.77
1/2	1/2	3,969.21	3,784.63	3,592.35	3,398.49	3,204.61	2,939.25	2,577.98	2,216.71	1,855.45	1,494.12	1,133.01	772.81	416.90	157.38	22.09
3/4	3/4	3,965.47	3,780.70	3,588.31	3,394.45	3,200.57	2,931.72	2,570.45	2,209.19	1,847.92	1,486.59	1,125.50	765.32	410.10	153.17	20.47
2	2	3,961.72	3,776.76	3,584.28	3,390.41	3,196.53	2,924.19	2,562.93	2,201.66	1,840.40	1,479.06	1,117.98	757.84	403.36	149.01	18.90
1/4	1/4	3,957.97	3,772.82	3,580.24	3,386.37	3,192.49	2,916.67	2,555.40	2,194.14	1,832.87	1,471.54	1,110.46	750.35	396.66	144.91	17.38
1/2	1/2	3,954.20	3,768.87	3,576.20	3,382.33	3,188.46	2,909.14	2,547.87	2,186.61	1,825.34	1,464.01	1,102.95	742.83	390.04	140.86	15.92
3/4	3/4	3,950.42	3,764.92	3,572.16	3,378.30	3,184.42	2,901.61	2,540.35	2,179.08	1,817.82	1,456.48	1,095.43	735.31	383.47	136.86	14.51
3	3	3,946.64	3,760.97	3,568.12	3,374.26	3,180.38	2,894.09	2,532.82	2,171.56	1,810.29	1,448.92	1,087.92	727.80	376.95	132.92	13.16
1/4	1/4	3,942.86	3,757.02	3,564.08	3,370.22	3,176.34	2,886.56	2,525.30	2,164.03	1,802.77	1,441.42	1,080.40	720.28	370.49	129.03	11.86
1/2	1/2	3,939.07	3,753.06	3,560.05	3,366.18	3,172.30	2,879.03	2,517.77	2,156.50	1,795.24	1,433.89	1,072.88	712.77	364.08	125.20	10.61
3/4	3/4	3,935.28	3,749.09	3,556.01	3,362.14	3,168.26	2,871.51	2,510.24	2,148.98	1,787.71	1,426.36	1,065.37	705.25	357.72	121.42	9.42
4	4	3,931.48	3,745.13	3,551.97	3,358.10	3,164.22	2,863.98	2,502.72	2,141.45	1,780.19	1,418.84	1,057.85	697.74	351.42	117.69	8.28
1/4	1/4	3,927.69	3,741.16	3,547.93	3,354.06	3,160.18	2,856.46	2,495.19	2,133.93	1,772.66	1,411.31	1,050.34	690.22	345.17	114.02	7.19
1/2	1/2	3,923.88	3,737.18	3,543.89	3,350.02	3,156.14	2,848.93	2,487.66	2,126.40	1,765.13	1,403.78	1,042.82	682.70	338.96	110.41	6.16
3/4	3/4	3,920.08	3,733.21	3,539.85	3,345.98	3,152.10	2,841.40	2,480.14	2,118.87	1,757.61	1,396.25	1,035.30	675.19	332.81	106.86	5.18
5	5	3,916.27	3,729.23	3,535.82	3,341.94	3,148.06	2,833.88	2,472.61	2,111.35	1,750.08	1,388.72	1,027.79	667.67	326.71	103.36	
1/4	1/4	3,912.46	3,725.24	3,531.78	3,337.90	3,144.02	2,826.35	2,465.08	2,103.82	1,742.55	1,381.19	1,020.27	660.16	320.67	99.92	
1/2	1/2	3,908.64	3,721.25	3,527.74	3,333.87	3,139.99	2,818.82	2,457.56	2,096.29	1,735.03	1,373.66	1,012.76	652.64	314.68	96.52	
3/4	3/4	3,904.82	3,717.26	3,523.70	3,329.83	3,135.80	2,811.30	2,450.03	2,088.77	1,727.50	1,366.14	1,005.24	645.12	308.74	93.19	
6	6	3,901.00	3,713.27	3,519.66	3,325.79	3,131.47	2,803.77	2,442.51	2,081.24	1,719.98	1,358.61	997.72	637.61	302.85	89.91	
1/4	1/4	3,897.17	3,709.27	3,515.62	3,321.75	3,127.00	2,796.24	2,434.98	2,073.71	1,712.45	1,351.08	990.21	630.09	297.03	86.68	
1/2	1/2	3,893.34	3,705.26	3,511.59	3,317.71	3,122.38	2,788.72	2,427.45	2,066.19	1,704.92	1,343.55	982.69	622.58	291.25	83.49	
3/4	3/4	3,889.51	3,701.26	3,507.55	3,313.67	3,117.61	2,781.19	2,419.93	2,058.66	1,697.39	1,336.02	975.18	615.07	285.53	80.36	
7	7	3,885.67	3,697.25	3,503.51	3,309.63	3,112.70	2,773.67	2,412.40	2,051.14	1,689.86	1,328.49	967.66	607.56	279.86	77.28	
1/4	1/4	3,881.83	3,693.23	3,499.47	3,305.59	3,107.64	2,766.14	2,404.87	2,043.61	1,682.34	1,320.97	960.15	600.05	274.25	74.25	
1/2	1/2	3,877.98	3,689.22	3,495.43	3,301.55	3,102.44	2,758.61	2,397.35	2,036.08	1,674.81	1,313.44	952.63	592.54	268.69	71.34	
3/4	3/4	3,874.13	3,685.20	3,491.39	3,297.51	3,097.09	2,751.09	2,389.82	2,028.56	1,667.28	1,305.91	945.11	585.04	263.18	68.49	
8	8	3,870.28	3,681.17	3,487.35	3,293.47	3,091.60	2,743.56	2,382.29	2,021.03	1,659.75	1,298.38	937.60	577.54	257.73	65.69	
1/4	1/4	3,866.43	3,677.15	3,483.31	3,289.43	3,085.97	2,736.03	2,374.77	2,013.50	1,652.22	1,290.85	930.08	570.04	252.33	62.95	
1/2	1/2	3,862.57	3,673.11	3,479.27	3,285.40	3,080.18	2,728.51	2,367.24	2,005.98	1,644.69	1,283.32	922.59	562.54	246.99	60.26	
3/4	3/4	3,858.71	3,669.08	3,475.24	3,281.36	3,074.25	2,720.98	2,359.72	1,998.45	1,637.16	1,275.79	915.10	555.05	241.70	57.62	
9	9	3,854.84	3,665.04	3,471.20	3,277.32	3,068.18	2,713.45	2,352.19	1,990.92	1,629.64	1,268.27	907.61	547.57	236.46	55.04	
1/4	1/4	3,850.97	3,661.00	3,467.16	3,273.28	3,061.96	2,705.93	2,344.66	1,983.40	1,622.11	1,260.74	900.13	540.09	231.28	52.51	
1/2	1/2	3,847.10	3,656.97	3,463.12	3,269.24	3,055.60	2,698.40	2,337.14	1,975.87	1,614.58	1,253.21	892.64	532.61	226.20	49.97	
3/4	3/4	3,843.22	3,652.93	3,459.08	3,265.20	3,049.09	2,690.88	2,329.61	1,968.35	1,607.05	1,245.68	885.15	525.14	221.17	47.49	
10	10	3,839.34	3,648.89	3,455.04	3,261.16	3,042.43	2,683.35	2,322.08	1,960.82	1,599.52	1,238.15	877.66	517.68	216.20	45.05	
1/4	1/4	3,835.45	3,644.85	3,451.00	3,257.12	3,035.63	2,675.82	2,314.56	1,953.29	1,591.99	1,230.62	870.17	510.23	211.28	42.67	
1/2	1/2	3,831.57	3,640.81	3,446.96	3,253.08	3,028.69	2,668.30	2,307.03	1,945.77	1,584.46	1,223.09	862.68	502.78	207.10	41.03	
3/4	3/4	3,827.67	3,636.77	3,442.92	3,249.04	3,021.60	2,660.77	2,299.50	1,938.24	1,576.94	1,215.57	855.19	495.35	202.97	39.44	
11	11	3,823.78	3,632.74	3,438.88	3,245.00	3,014.36	2,653.24	2,291.98	1,930.71	1,569.41	1,208.04	847.70	487.93	198.89	37.90	
1/4	1/4	3,819.88	3,628.70	3,434.84	3,240.96	3,006.98	2,645.72	2,284.45	1,923.19	1,561.88	1,200.51	840.21	480.53	194.87	36.42	
1/2	1/2	3,815.98	3,624.66	3,430.80	3,236.93	2,999.46	2,638.19	2,276.93	1,915.66	1,554.35	1,193.00	832.73	473.25	190.88	34.99	
3/4	3/4	3,812.07	3,620.62	3,426.77	3,232.89	2,991.93	2,630.66	2,269.40	1,908.13	1,546.82	1,185.50	825.24	466.01	186.95	33.61	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 17'-4 3/4" (TO RIM OF 10" HATCH
LOCATED ON EXPANSION TRUNK)

STRAPPED: 05/19/2017 JS JC
RECALCULATED: 11/03/2017
REISSUED: 11/03/2017

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.


INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "GONSOULIN - 550"

LE BEOUF BROTHERS

CORRECTION TABLE FOR TRIM AFT.

FOR INNAGE GAUGES ONLY

TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(-) 0' - 0 7/8"	(-) 0' - 0 7/8"	(+) 0' - 0 7/8"
1'-0"	(-) 0' - 1 7/8"	(-) 0' - 1 7/8"	(+) 0' - 1 7/8"
1'-6"	(-) 0' - 2 3/4"	(-) 0' - 2 3/4"	(+) 0' - 2 3/4"
2'-0"	(-) 0' - 3 5/8"	(-) 0' - 3 5/8"	(+) 0' - 3 5/8"
2'-6"	(-) 0' - 4 5/8"	(-) 0' - 4 5/8"	(+) 0' - 4 5/8"
3'-0"	(-) 0' - 5 1/2"	(-) 0' - 5 1/2"	(+) 0' - 5 1/2"
3'-6"	(-) 0' - 6 3/8"	(-) 0' - 6 3/8"	(+) 0' - 6 3/8"
4'-0"	(-) 0' - 7 3/8"	(-) 0' - 7 3/8"	(+) 0' - 7 3/8"
4'-6"	(-) 0' - 8 1/4"	(-) 0' - 8 1/4"	(+) 0' - 8 1/4"
5'-0"	(-) 0' - 9 1/4"	(-) 0' - 9 1/4"	(+) 0' - 9 1/4"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED,
TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 06/21/17

BY: 

INSPECTORATE AMERICA CORPORATION